## The Enforcement Response Policy Targeting Tool - PWS Ranking using Sum of (81 + 82 + 83 + ...) + n Formula -

All ETT Sco	using Sum of (S1 + S2 + S3 +) + n Formul res above the following threshold are	**			Det	abase: Oct 2	017 SDWIS#	ED Freeze																			
Stat PWSID e	PWS Name	ETT Sys Score has	PWS HB Type	Pop Viol Srvd	s Priority Since Date	Repeat Violator	Total Unresolve	On Path to Sc Compliance or	thool O	Owner Last Lead Type 90%	Num Lead ET ALEs 5 Cla	T Score Cassificat	October 2617 ETT Quarterly Update	July 2017 ETT Quarterly Update	April 2017 ETT Quarterly Update	January 2017 ETT Quarterly Update	October 2016 ETT Quarterly Update	July 2016 ETT Quarterly Update	April 2016 ETT Quarterly Update	January 2016 ETT Quarter Update	y October 2015 ETT Quarterly Update	July 2015 ETT Quarterly Update	April 2015 ETT Quarterly Update	January 2015 ETT Quarterly Update	October 2014 ETT Quarterly Update	July 2014 ETT Quarterly Update	April 2014 ETT Quarterly Update
M M0040601	PINE PECCE MOBILE HOME COMMANYY	26 Y	CWS	490 <u>winl</u>	03/31/2017	25	25	Not on Path N	P	0.0052	Cu So 11	rrent prone in a	MDEQ 0.1/18: The supply has currently returned to compliance, with a R99A of 6.5.1 ppb. However, they are still moving forward with installation of a radium removal system, in accordance with the ACO signed on 71/417. A permit for the system was insued by the MMEQ or 11/2/117.	MDEO 9/2017: The MDEO as the supply have signed an ACO, dated 71/4/17. The supply agreed to submit a constituction permit by 10/1/17, and provide water below the MCL no later than 4/15/18.	nd MDEG 6/17: The supply is confining to work with the MDEG to resolve this violation. A draft ACO has been negotiated and is in a process of being signed by all parties.	PS requests update on radionucide MCL violations. MDE STORY: The supply has submitted a treatment proposal, and the state has a reformed themthey will need to conduct a pilot study. They are proactively workin with MDEG to resolve the violation.	i g										
M M0022/0	Production (Control of Control of	3 N		2943		3	,	N	L	. 03002	Sc 10	arrent core 1 to	and sampling remains countainly.  185 11/2017; RF requests 185 11/2017; RF requests 185 11/2017; RF requests 185 11/2017; RF requests 187 11/2017;														
M M0006250	SPECION	2 N	CWS	800 <u>xiol</u>		4	1	N	L		10	arrent core 1 to	violation, which was an error.  16 11,007; Re-equisate for 11,007; Re-equisate for 11,007; Re-equisate for 12,007; Re-equisate for 12,007; Re-equisate for 12,007; Re-equisate for 12,007; There were worked for 12,007; The requests entered for 12,007; The requests effective for 12,007; The requests effectiv														
M M0042361	MATE GLAND SSTATES	TN	ONS	320 <u>vtol</u>		23	4	Not on Path N	P								MEIO 01177: The DEO confinues to work with our salater agencies to readow as the readow occupance. We are not confinement of the first photo were, we are ill confinues to assesse enforcement options.	MEED (1016: This supply has not RRICH or silver PSCU be a sarpling or the Consumer to the paragraphing or the Consumer to the	PS 5/2010: PS requests that SOED refer this system to PS Consumer Nelfor and LCR MRY violations. MRY violations MRY violations significant delicitionies from 11/15. Connect PTG for PNG. Consumer Nelfor ps sampling ratio all samples collected after 6/118. CSC ps the Consumer Nelfor. The community is currently serviced in a cross-agency enforcement case with headers to refer the headers to referred at this Text.		PGS 15/2015: PGS requests the MEXIC refer asystems to RG for desired systems to RG for MEXIC 2019 for the Section of RG for RG f	d r					
M M0001395	OW PIMAL	6 Y	ows	300 <u>stol</u>		10	5	Not on Plath N	L			arrent pose 1 to p	IRS 11/2017: R5 requests referred for rad MCL violation - has there been additional rad a sampling additional rad a sampling additional rad a sampling and MCCO 01116: Supply has 2 distribution. WLOSI has end and proposed a sampling, and continues ampling, and continues however, the well was removed from exercise in 207156, and has been kept for emergency purposes only also. The other continues of the continues														
M M0040357	ORYSTAL DOWNS MOBILE VILLAGE	4 N	cws	260 <u>viol</u>	1	4	2	Not on Path N	P			core 1 to	RS 11/2017: RS requests referral for LCR M/R violations MDEQ 01/15: The supply returned to compliance on 9/17/17. No referral														]
M M0001648	COUNTRY LIVING ADULT FOSTER CARE  BLY TOWNSHIP-DIORITE	10 Y	cws			11	10	N	P	1		rrent core 1 to															
M M0001820 M M0004450		10 Y	CWS	168 <u>viol</u>		14	10	N N	-	0.015		arrent core 1 to arrent core 1 to															
M M0040018	LAKESDE PARK MHP	10 Y	cws	48726 <u>viol</u>		10	10	N	p			ore 1 to arrent core 1 to															
M M0040076	SOMERSET MOBILE HOME PARK	10 Y	cws	140 <u>viol</u>		30	10	Not on Path N	p	.		rrent												MDEQ 3/2015: Water supply returned to compliance in			<u> </u>
M M0040277	LA-E-MA MOBILE HOME PARK	10 Y	cws	72 <u>stol</u>		10	10	N	P		Cu So	rrent core 1 to												Ortober 2014			
M M0040346	COUNTRY SIDE MOBILE HOME PARK	10 Y	cws	158 <u>viol</u>		11	10	N	Р			rrent core 1 to															
M M0000238 M M0000180	NORTH WOODS NURSING CENTER	7 N	CWS	71 <u>viol</u>		8	6	N	P			rrent core 1 to															<b> </b>
M M0002944	HAMLET VELIAGE CONDOMNEMS ASSOCIATION	6 N	cws	198 <u>viol</u>		4	2	N	P			arrent core 1 to arrent core 1 to															
M M0002945	HAMLET WEST PROPERTY OWNERS ASSOC	6 N	cws	133 <u>viol</u>		5	2	N	р			rrent															
	MCBAIN, CITY OF	6 N	cws	656 <u>viol</u>		3	2	N	L		Cu Se	rrent core 1 to															
M M0006445	SUGAR LOAF RESORT	6 N	CWS	140 <u>viol</u>		-	1	N	Р			rrent core 1 to															- 
M M0007103	HOMESTEADICRYSTAL RIVER WATER CO	6 N	CWS	1365 <u>viol</u>		7	2	N E	P			rrent core 1 to		1	1			-		1							1
M M0002480		5 N	cws	283 <u>viol</u> 483 <u>viol</u>		5	3	N N	L			arrent core 1 to arrent core 1 to			1					-							
M M0003120	HERMANSVILLE HOUSING COMM.	5 Y	cws	36 <u>viol</u>		5	5	N	P	0.041		rrent			1												
	RICA TOWNSHIP	5 Y	cws	399 <u>viol</u>		11	5	N	L		Cu So	rrent core 1 to															
M M0007285 M M0040241	EAGLE POINTE CONDOMNUMS SHATTY PARK	5 Y	cws	90 <u>viol</u>	1	20	5	N	P			rrent core 1 to															
	SHADY PARK  ARBOR RIDGE CONDOMNUMS	5 N	CWS	58 <u>viol</u> 58 <u>viol</u>		2	1	N	P			rrent core 1 to					MERO DUTT: SHARE	MDEO 10/16: The events	85 5/2016 BF								
		*18					2	N				arrent core 1 to					MDEO 01177: Staff are confining to pursue and confining to pursue and confine and the staff to refer at this time.	MDEQ 10/16: The system was issued a significant deficiency for several violations in April 2016, including the failure to renote Pb/D2 and issue the lead consumer notion. If this enforcement path is unsuccessful, we will re-evalute referring to EPA.	PB 5/2016: PS requests that MDED refer this system to PS for enforcement for its Least of the service security of the Least Octos und LCR r MR violation.  MDED 6/16: The system has just submitted PSCU compliance samples which will SOX the MR violation.  MDED will make one last attempt to get the Consumer Nation, and will re-versible securities.								
M M0004730	NEWBERRY CORRECTIONAL FACILITY	4 N	OWS	1001 viol		4	2	N	8	0.017	10	arrent core 1 to		PS 8/2017: PS requests the MDED refer system to PS for enforcement of its longstanding Stage 2 TTHM and HAAS MR volutions. MDED 9/2017: The supply returned to compliance on 9/21/16. No referral socialists.	E. of												
Me0003220	* number	3 N	ows	rodd <u>viol</u>		3	2	N	L		So 10	arrent core 1 to		inconsisted MS requests the MDED refer system to PS for enforcement of its longishmeling Stage 2 TTHM and HAAS MR volations. MDED 92017: Supply returned to compliance on 83017. No referral locus seated.	n. Pr												

Stat PWSID	PWS Name	ETT S <sub>3</sub>	n PWS	Pop	Viols F	Priority R	Repeat To	otal C	On Path to Scho	ol Own	ner Last Lead	Num Lead	ETT Score	October 2017 ETT Quarterly Update Update	ETT Quarterly	April 2017 ETT Quarterly Update	January 2017 ETT Quarterly	y October 2016 ETT Quarterly Update	July 2016 ETT Quarterly	April 2016 ETT Quarterly Update	January 2016 ETT Quarterly Update	October 2015 ETT Quarterly Update	July 2015 ETT Quarterly Update	April 2015 ETT Quarterly Update	January 2015 ETT Quarterly Update	October 2014 ETT Quarterly	July 2014 ETT Quarterly	April 2014 ETT Quarterly Update
M M0004600	NAHWA TOWNSHIP	Score ha	s HB Type		95 viols	Since Date V	Violator Uni	Prints 2	Compliance or Calls	Type Code	e 50%		Current Score 1 to	орозня орозня		upass	Upcase	Upcase	upcara	оразв	Ореже	opass	Opcase	upass	upcass	Opens	Орозна	Ораза
M M0096**	RDGEWAY	1 1	Che		31 yels		19			D																		
	MARBLE LAKE RESORT & MARINA	2111	ave		- <u></u>								Current Score 1 to 10															
M M0040071		3 N	CWS		72 stols		- 4	1	N				Current Score 1 to 10															
M M0040090	TWN PINES MOBILE HOME PARK	3 N			82 <u>viols</u>		10	2	N	ľ	0.016		Current Score 1 to 10															
M M0040473	RIVER FOREST MOBILE HOME PARK	3 N	cws	14	40 viols		12	4	N	P			Current Score 1 to 10					MDEQ 0.1177. Community is currently in currently in process of being sold. Both see working with the potential new owner to assure they understand and will resolve all outstanding violations. If he sale falls through, MDEQ will proceed with an ACO with the current owner.	MDEQ 10/16: The DEQ sent an enforcement notice to the owner of this community in	RS 5/2016: RS requests that MDEQ refer this system to RS for enforcement for its Lead		PS 11/2015: RS requests the MDEQ refer system to RB for enforcement of Lead Consumer Notice requirements. MDEQ 01/16: Dathfeit is persuing return to compliance. No referral at this time, will reconsider if in resolved by maxt quarter.	r .					
																		the potential new owner to assure they understand and	Sept 2016, requiring the entry into an ACO, or falling that	Consumer Notice violation. MDEQ 6/16: The supply is		Consumer Notice requirements. MDEQ 01/16:						
																		violations. If the sale falls through, MDEQ will proceed	Attorney General's Office for civil Itigation (for a number of	notice for a variety of issues, including the LCN. No		compliance. No referral at this time, will reconsider if n	ot					
																		with an ACO with the current owner.	violations). We then learned that the owner has been	referral requested at this time.		resolved by next quarter.						
																			period. Further action will be									
M M0040689	WOODLAND RECE	3 N			80 viols		7	'	N	ľ			Current Score 1 to 10															
	ANDREWS UNIVERSITY	2 N			00 yiels		1	1	Y	P			Current Score 1 to															
	ASHLEY, VILLAGE OF	2 N	cws	50	26 viols		2	1	N	L			Current Score 1 to															
M M0000520	BEAVERTON	2 N	cws	100	F1 <u>stols</u>		3	2	N	L			Current Score 1 to 10 Current Score 1 to 10 Current Score 1 to 10 Current Score 1 to															
M M0000890 M M0001019	BRITTON	2 N	CWS	. 61	11 <u>viols</u>	-	2	1	N	L			Current Current															
M M0001019	BYRAMROGE	2 N	cws		40 wols		2	2	N	P			10 Current															
M M0001020	BYRON, VILLAGE OF	2 N			95 <u>viols</u>		2	-	N	L			Score 1 to 10 Current Score 1 to															
	CHEBOYGAN, CITY OF		cws								0.004																	
M M0001420		2 N	CWS	-						ľ			Current Score 1 to 10															
		2 N		300	67 <u>viols</u> 71 <u>viols</u>		1	1	N	L.			Current Score 1 to 10										1					
M M0001870	DRYDEN, VILLAGE OF	2 N	cws	25	51 <u>viols</u>	T	2	T	N	1		J	Current Score 1 to 10															
M M0002120	BLSE, VILLAGE OF	2 N		96	66 yiels		2	1	N	L.			Current Score 1 to							1		1			1			
M M0002200	MCMLLAN TOWNSHIP	2 N	cws	- 30	91 <u>viols</u>		8	-1	N	L			Current Score 1 to 10 Current Score 1 to			1		1				İ	1					
M M0002250	FARWELL, VILLAGE OF	2 N	cws	: 8:	71 yiels		-	-	N	L			Current Score 1 to										1					
M M0002290	FLER CHARTER TOWNSHIP	2 N	cws	100	00 yigh	-	-	-+	N	L	+		Current Score 1 to			+		1					+					
M M0002490	FREMONT	2 N	cws	400	81 viols	-	6	- 1	N	L	0.006		Current Score 1 to					-			-		+			1	1	
M M0002530	GALESBURG	9 80	cws	299	81 <u>viols</u>		-	-	N N	+								1					+				1	
	GRANDLEDGE, CITY OF	LI.	CWS		77 <u>viols</u>		_]_			_[_			Current Score 1 to 10										1				-	
		2 N		850	00 yigh		0	1	N	, t	0.008	°	Current Score 1 to 10										1					
	GROSSE PONTE SHORES	2 N	cws		29 viols		1	1	N	L			Current Score 1 to 10										1					
M M0002580 M M0003001	HANCOCK	2 N	cws	450	00 viols			1	N	L	0.0016	0	Current Score 1 to 10															
		2 N	cws	- 28	ss <sub>viols</sub>		21	- 1	N	Р			Current Score 1 to															
M M0003820	LAWRENCE	2 N	cws		45 <u>viols</u>		7	- 1	N	L	2.9	1	Current Score 1 to															
M M0003840	LESUE, CITY OF	2 N	cws	208	89 <u>viols</u>	-	3	1	N	L			Current Score 1 to															
	BLUE LAKE RESIDENCES	2 N	cws	: 10	95 <u>viols</u>		2	2	N	p			Current Score 1 to															
M M0004100	MARION, VILLAGE OF	2 N	cws		72 viols		2	-	N	_	-		Score 1 to 10 Current															
M MANAGEMEN	MARION, VILLAGE OF MDDLEVILLE				72 yiols								Current Score 1 to 10															
	MIDLAND CO., WATER DIST. NO. 1 OF	2 N	CWS	320	51 <u>viols</u>		~	, i		Ĺ			Current Score 1 to 10															
	MIDLAND CO., WATER DIST. NO. 1 OF	2 N		1100	00 <u>viols</u>		8	1	N	L	0.004	٥	Current Score 1 to 10 Current Score 1 to															
M M0004550	MUR	2 N	cws		44 viols		,	1	N	L	2	1	Current Score 1 to															
M M0004690	NEW HAVEN, VILLAGE OF	2 N	cws	470	oo viols		2	- 1	N	L	0	0	Current Score 1 to															
M M0004778	ARBOR VIEW CONDO OWNERS ASSOCIATION	2 N	CWS		25 <u>viols</u>		33	1 N	list on Path N	Р			Current Score 1 to															
	OAKS CORRECTIONAL FACILITY	2 N	cws		40 viols		1	- 1	N	8			Current Score 1 to															
M M0005010	ONAWAY, CITY OF	2 N	cws	. 88	80 yigh		3	- 1	N	L			10 Current															
M M0005205	PARMA TOWNSHIP-AMBERTON VILL.	2 N	cws	: 31	78 <u>viols</u>		- 1	- 1	N	L			Current Score 1 to 10 Current Score 1 to 10					RS 11/2016: RS requests										
													Score 1 to 10					that MDEQ refer this system to RS for enforcement for its unarithment 12/10/2015.										
																		Lead Consumer Notice violation.										
																		PS 11/2016: PS requests that MDED refer this system to PS for enforcement for its unaddress and 12/20/2015 Lead Consumer Notice violation.  MDED 01/17: MDED is all pursuing compliance with this system. We are not ready to refer at this time.					1				1	
M M0005210	PAW PAW	2 N	cws	353	34 <u>viols</u>		2	-	N	L	0	٥	Current Score 1 to					refer at this time					1					
M M0005390	PLEASANT RDGE	2 N			26 <u>viols</u>		- 1	- 1	N	L	+		Current Score 1 to					1			<u> </u>		+					
M M0006040	SHERDAN	2 N	cws		49 <u>viols</u>	-+	-	-+	N	L	+		10 Current			1		1					+				<del>                                     </del>	
14 1400004466	OTRITADA PANAS A DADARADAS	2 N	CWS		96 <u>vi</u> ols		2	1	N	p	+		Current Score 1 to 10 Current Score 1 to			1		1					+				<del>                                     </del>	
M M0006610	THREE RIVERS		cws		98 <u>viols</u>		2	-	N N	+	0.00		Score 1 to 10 Current					1					+				1	
	TREETOPS RESORT (TREETOPS NORTH)	2 N	CWS		11 viols		1			_[_	0.000		Current Score 1 to 10					1					1				1	
ns 180006647	IPEE HOPS RESORT (TREETOPS NORTH)	2 N	CWS	.   .	50 viols		1	1	N	P			Current Score 1 to 10	RS 8/201 MDEQ re enforcer	7: R5 requests that fer system to R5 for next of its ding Stage 2 TTHM 5 MR violations. 2017: System to compliance on No referral et	e or							1				1	
														longstan and HAA appen or	sing Stage 2 TTHM 5 MR violations. 2017: System	']							1				1	
														returned 8/31/17.	to compliance on No referral								1					
M M0006680	INTERIOR TOWNSHIP	2 N	cws	20	sion of		1	1	N	L			Current Score 1 to	recrueste	4								1					
M M0006773	INTERIOR TOWNSHIP HORSELL MANOR	2 N			25 <u>viols</u>	-	- 1	- 1	N	P	+		Current Score 1 to				1				1		1					
M M0006970	WEBBERVILLE VILLAGE OF	2 N	CWS		03 yiels	-	2	- 1	N	L	+		Score 1 to 10 Current Score 1 to					-			-		+			1	1	
M M0007135	WKOM, CITY OF		CWS	921	03 <u>viols</u> 20 <u>viols</u>		-	- 1	N	-		,	Score 1 to 10 Current								-		+					
M MANAGEMENT		2 N	0.00				-		[_		4 ]		Current Score 1 to 10 Current Score 1 to										1					
N8000V230	YALE, CITY OF COUNTRYSIDE MOBILE COURT	2 N	UNS	190	00 viols		3		N	, i													1					
NR M0040070	COUNTRY SIDE MOBILE COURT	2 N	CWS		60 viols		1	1	N	P			Current Score 1 to				1	1		<u> </u>	<u> </u>	<u> </u>	1		<u> </u>	<u> </u>	<u> </u>	
M M0040074	AVRA ESTATES	2 N			87 viols	T	18	1	N	P			Current Score 1 to 10										1				l	
M M0040092	BARRON LAKEIROSEBUSH	2 N	cws		75 <u>viols</u>		1	1	N	Р			Current Score 1 to	RS 8/201 MDEQ re	7: PS requests that fer system to PS for sent of its ding Stage 2 TTHM 5 MR violations. 2017: Supply to compliance on No referral of	d or												
													10	enforcer longstan	nent of its ding Stage 2 TTHM 5 MR vigistions								1				1	
														MDEQ SI returned	2017: Supply to compliance on								1				1	
M M0040105	WHITE PINES MOBILE HOME PARK	2 N	CWS		90 viols		19	4	N	P			Current	7/26/17.	No referral d			RS 11/2016: RS requests					+				-	
					-								Current Score 1 to 10					RS 11/2016: PS requests that MDED refer this syntem to R6 for enforcement for its unaddressed 12/20/2015 Lead Consumer Notice violation; TOW RR and RTCR Reporting violation; TOW RR and RTCR Reporting violations are reported violations to a report of the RTCR REPORT					1				1	
																		Lead Consumer Notice violation, TCR MR and RTCR			1		1					
																		reporting violations. MDEQ 01/17: Owner has expressed willingser in			1		1					
																		sign an ACO, which is in progress. No referral at this					1				1	
					-	_					-																	

Note	Stat PWSID	PWS Name	ETT Sy Score ha	n PWS	Pop 1	lots Priority Since Date	Repeat	Total Unresolve	On Path to School Compliance or	Owner Last Le Type 90%	ad Num Lea	d ETT Score Classificat	October 2017 ETT Quarterly Update July 2017 ETT Quarterly Update	April 2017 ETT Quarterly Spring	January 2017 ETT Quarterly Update	October 2016 ETT Quarterly Update	July 2016 ETT Quarterly Update	April 2016 ETT Quarterly Update	January 2016 ETT Quarterly Update	October 2015 ETT Quarterly Update	July 2015 ETT Quarterly Update	April 2015 ETT Quarterly Update	January 2015 ETT Quarterly Update	October 2014 ETT Quarterly Update	July 2014 ETT Quarterly Update	April 2014 ETT Quarterly Update
The content of the	M M0040124	WNDSOR ESTATES	2 N			iols.	Teel 2	d Beinte	N N	P	-															
Control   Cont	M M0040140		2 N	CWS	75	iols	1	1	N	P			PG 8/2017: PG respensit that MDED refer system to PS for enforcement of its interpalment of the interpalmenting Diago 2 TFM MED 2017: Supply returned to compliance on 271917. No referred													
Manufact						tols	2	,	N	Р																
Property		SPRINGBROOK ESTATES MHC	2 N	cws	1008	iols	2	,	N	Р		Current Score 1 to														
Property		PARRIVOOD VELAGE  COUNTRYSDE VELAGE	2 N	CWS			36	1	Not on Path N	P			FIG 6/2017; For requests that MDED rather systems to IRS for serfoce ensured of its inceptuality Stope 2 TIPM MODED S2017; Supply returned to compliance 7/2017. No referred sociality.												MDBQ 10/14: Treatment system repaired. Supply returned to compliance April 2014.	
Mathematical   Math			2 N				2		N	P		Score 1 to 10 Current														
Property State			2 N				3	1	N	p																
Test	M M0000610	BENZONA VILLACE OF	1 N		1 1	iols.	2	1	N	L		Current Score 1 to														
# Section			1 N	cws			1	1	N	р																
The content of the	M M0001010	BURTON, CITY OF	1 N		21000	iols	5	1	N	L	0															
Series Se	M M0001018	BUTTERFIELD WOODS SUBDIVISION					16		N	P																1
Series			1 N		1 1		2	1	N	L		Current Score 1 to 10														
Market			1 N				2	1	N	L.											<u> </u>					
Test			1 N						N	L																
Series Se	M M0002020		1 N				2		N	L 0.0	102															
Ministry			1 N				1		N	L										1	1					
Series Se			1 N		1703	iols	16	1	N	L		Current Score 1 to														
Marke   Mark	M M0003160	HELMAN, VILLAGE OF	1 N		697	iols	2	1	N	L		Current Score 1 to														
Marie   Mari	M M0003693	LAKE ANGELA CONDO APTS #5	1 N		24	iols	1	1	N	P		Current Score 1 to														
Section   Sect	M M0003942	BLAND LAKE APARTMENTS			46	iols	1	1	N	P 0.0	162	2 Current Score 1 to								Ì						
Series		MAYVELE, VELAGE OF	1 N	cws	950	iols.	2	1	N	L		Current Score 1 to														
Segretaria	M M0004720	NEWBERRY WATER & LIGHT	1 N	cws			1	1	N	L																
Section	M M0005037	OSBORN LAKE ESTATES	1 N	cws			2	1	N	P																
Series Se	M M0005655	REMUS APARTMENT COMPANY	1 N	cws			2	1	N	P																
Section   Sect	M M0005920		1 N	cws			1	- 1	N	L																
Section of the content of the cont	M M0006710	UBLY, VELAGE OF	1 N	cws			1	- 1	N	L																
Section 1	M M0007010	WEST BRANCH, CITY OF	1 N	cws	2139	iols	1	- 1	N	L																
March   Marc	M M0040406	HYLANDERVALLEY	1 N	cws			1	1	N	Р																
Marchane	M M0040448	HURON BAY RESORT	1 N		140	tols	8	1	N N	P	174	Current Score 1 to 10	PG 8/2017; PG respensible that MDED refer aystem to PM for enforcement of the temporary of the temporary that are the temporary than and PM-AM Windows. MDED 20/2017; Supply returned to compliance (1010.7). No referral expensions of the period of the temporary temporary that the period to compliance (1010.7). No referral expensions.													
Mathematical Control	M MONOGOTO	ADA TOMANUN	0.0	Owe	7144							Score 1 to 10														<b></b>
Mathematical Control	M MOODOOM	ADMAN	0 N	cws	21133	iols	2	0	N N	L 0.00	014	Screen 0 Current														
Mathematical Control	M M0000048	RCHLYNMANOR	0 N	cws	192	tols	10	0	N	Р		Current Screen														
Maria   Mari	M M0000070	AKRON	0 N	CWS	402	iols	1	0	N N	L		Current Score 0 Current														
Maria   Mari	M M0000125	ALLEGAN COUNTY SERVICES CENTER	0 N	cws	101	iols	7	0	N		127	Score 0 1 Current Score 0														
Maria   Mari	M M0000130 M M0000170	ALLEN PARK ALPENA TOWNSHP	0 N	cws	28210	iols	1	0	N N		115	0 Current Score 0 0 Current														1
Maria   Mari	M M0000200	HBMATTE TOWNSHP	0 N	cws	350	iols.	27	0	N	L		Score 0 Current Score 0														
## CONTRACT MACROPHICAL PROPERTY AND CONTRACT AND CONTRAC	M M0000220	ANN ARBOR ANN ARBOR TOWNSHIP	0 N	CWS	118017	iols iols	1	0	N N	L 0.0	102	0 Current Score 0 Current									1		1	1		
## CONTRACT MACROPHICAL PROPERTY AND CONTRACT AND CONTRAC	M M0000290	AU SABLE TOWNSHIP	0 N	CWS	2047	iols	+ 1	0	N	L		Screen C Current														
## CONTRACT MACROPHICAL PROPERTY AND CONTRACT AND CONTRAC	M M0000320	AUGUSTA BANCROFT VILLAGE CF	0 N	CWS	885	iols.	1	0	N	L		Current Score 0														
## CONTRACT MACROPHICAL PROPERTY AND CONTRACT AND CONTRAC	M M0000370	BANGOR	0 N	CWS	1938	iols	2	0	N N	Ē.	-	Score 0 Current														
## CONTRACT MACROPHICAL PROPERTY AND CONTRACT AND CONTRAC	M M0000400	BANGOR-MONTOR METRO DISTRICT	0 N	cws	2971	iols.	١.	0	N	L		Current Score 0														
## CONTRACT MACROPHICAL PROPERTY AND CONTRACT AND CONTRAC	M M0000418 M M0000420	BARN SWALLOW APARTMENTS BARODA	0 N	cws	910	iols iols	21	1	N N	P L		Current Score 0 Current									1					
## CONTRACT MACROPHICAL PROPERTY AND CONTRACT AND CONTRAC	M M0000426	BARRY TOWNSHIP	0 N	cws	260	iols	8	0	N	L	1	Screen C Current Screen C									1					
## CONTRACT MACROPHICAL PROPERTY FOR THE	M M0000440	BATES TOWNSHIP	0 N	CWS	921 ganne	iols	5	0	N	L .	101	Current Score 0														
Manufacture	M M0000487	BAY HARBOR CLUB	0 N	CWS	51	iols	8	0	N	P		Score 0 Current Score 0									1					
Manufacture	M M0000505	BEAR CREEK ESTATES CONDOMNUM	0 N	cws	210	iols.	5	0	N	P		Current Score 0														
Manufacture			0 N	CWS	786	iols .	25	0	REC N	L		Score 0 Current Score 0							MDEQ 4/16. System returned to compliance on 11/30/2015 following sampling dove when	MDEQ 01/16: System hooks up to Bay Area Water System during last greater	ad MDBQ 10/15: hooking up to Bay Area Water Systemin Oct. 15. Expect return in					
## MEANS SERVICE AND SERVICE A			0 N				26	0	REC N	L		Current Score 0							connection to new source.  MDEQ 4/16. System returned to compliance on 11/30/2015 following sampling done after connection to new source.	MDEQ 01/16: System hooks up to Bay Area Water System during last quarter.	complance with new source.  Id MDEQ 10/15: hooking up to Bay Area Water System in Oct. 15. Expect return to complance with new source.					
1   1   1   2   2   2   3   3   3   3   3   3   3	M M0000575	BELLE CAKES ASSISTED LIVING CENTER	0 N	cws	47	iols	5	0	N	Р		Current Score 0														
Note   Market   Mar	M M0000600	BERREN SPRINGS	0 N	cws	3530	iois iois	7	0	N N			Score 0 Current									1					
Marco   Marc	M M0000680	BBLIAH VILLAGE OF	0 N	cws	390	iols	7	0	RTC N	L	┸	Score 0 Current Score 0														
Note	M M0000720	BROHRUN, VILLAGE OF BROHRUN TOWNSHIP	0 N	CWS CW°	1555	tols	1	0	N N		1.5	1 Current Screen 0											1	1		
N MORRING BACADAN TORROP 6 N OS 200 201 5 N OS 200	M M0000731	BISHOP LAKE APARTMENTS	0 N	CWS	50	iols	2	0	N N	P	-	Score 0 Current														
	M M0000740	BLACKMAN TOWNSHP	0 N	cws	9012	iols	5	0	N	L	0	0 Current Score 0														
M MAXIMUM SCHARLANA MANEGOTT ON DAS 2400 gats 1 0 N P Commet	M M0000790	BLUEWATER VELAGEWELL SITE, LLC	0 N	cws	3340	iols iols	1 14	0	N N	P 0.0	103	Score 0 Current									1					
	M M0000815	BOYNE MOUNTAIN RESORT	0 N	cws	2400	iols	_ 1	0	N	P	Т	Score 0 Current Score 0				<u> </u>										

Management	Code	100   100	mar and mar an	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N   N   N   N   N   N   N   N   N   N		0.001 0.000 0.000 0.000 0.000 0.000	Carrell   Carr				Fig. 1500 Fig. Section 1 and SEC SECTION									Appl 2014 ETT Countries and Co
M	N CAVE N	0000   metals   1000   metal			N N N N N N N N N N N N N N N N N N N		0.002	General Control Cont				Part 1999 in Street Str									MSEC At visibles rule Northean Augustian State (No. 1997). A visible No. 1997 (No. 1997). A v
Management   Man	N CAVE N	0000   metals   1000   metal	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		N N N N N N N N N N N N N N N N N N N	L   L   L   L   L   L   L   L   L   L	0.002	General Control Cont				TO 110010 TO improve the bright of the STORY									SSS: Al-resident setal
M. MINOSONO PRED TOMONOPP 0 N  M. MINOSONO PRED TOMONOPP N  M. MINOSONO PRED TOMO	N CAVE N	0000   metals   1000   metal		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	74 N N N N N N N N N N N N N N N N N N N		0.002	Carrel Grown  Ca				TO 1 TODIO 15 OF Company 15 OF									MEZO Al visibles suit as conditions of
M MORROSO ALBAN VETA CONCINEY  A MORROSO ALBAN VETA CONCINEY  A MORROSO ALBAN VETA CONCINEY  A MORROSO ALBAN VETA ALBAN VETA CONCINEY  A MORROSO ALBAN VETA ALBAN VETA ALBAN VETA CONCINEY  A MORROSO ALBAN VETA ALBAN VETA ALBAN VETA CONCINEY  A MORROSO ALBAN VETA ALBAN VETA ALBAN VETA CONCINEY  A MORROSO ALBAN VETA ALBAN VETA CONCINEY  A MORROSO ALBAN VETA ALBAN VETA CONCINEY  A MORROSO ALBAN VETA	N CAVE N	0000   metals   1000   metal	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N	L   L   L   L   L   L   L   L   L   L	0.002	Current Curren				the MSEC of the this system was a considerable of the considerated of Consider									SEC Al continues rate in a considerate
Manufact	N CAVE N	0000   metals   1000   metal		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N	L   L   L   L   L   L   L   L   L   L	0.002	Scrool Sc				Justice Part (17,000)  This dam (19,40)  This dam (19,40)  NAMO (17)  This dam (19,40)								MSEO Al-visidos estados Se acestidades	
Manufact	N CAVE N	0000   metals   1000   metal	1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N		0.002	Scrool Sc				TPERSON PASS SER. MERICOSTT. Society Additional Control Control Additional Control Additi									MEEQ At violations ratio in correlations.
MARCHAN BLADE VICE NO TOWN OF A NATIONAL PART OF	N CAVE N	0000   metals   1000   metal	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		N N N N N N N N N N N N N N N N N N N		0.002	Scrool Sc				Maccolin Congress									MEXIC Ad virializate reful So contribution
MARCHAN BLADE VICE NO TOWN OF A NATIONAL PART OF	N CAVE N	0000   metals   1000   metal	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		N N N N N N N N N N N N N N N N N N N		0.002	Scrool Sc													MEEQ Al vesidors returned to considerate
MARCHAN BLADE VICE NO TOWN OF A NATIONAL PART OF	N CAVE N	0070   minis   1000			N N N N N N N N N N N N N N N N N N N		0.002	Scrool Sc													MEEO Al violations ratio
Manager   Mana	N CAVE N	0070   minis   1000	10 10 10 10 10 10 10 10 10 10 10 10 10 1		N N N N N N N N N N N N N N N N N N N		0.0004	Scrool Sc													MEEC All systems refu in correlation
MARCHAN BLADE VICE NO TOWN OF A NATIONAL PART OF	N CAVE N	0070   minis   1000	17		N N N N N N N N N N N N N N N N N N N		0.0004	Current Services Curren													MECO. Al vications net. on correlation
M. MORROW BARROW. G. 9 N. MORROW. G. 9 N. MORROW. BARROW. G. 9 N. MORROW. G. 9	N COMS N	### prints   1000   2011   1000   2011   1000   2011   1000   100	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	M M M M M M M M M M M M M M M M M M M		0.0004 0.000 0.000 0.000 0.000	Current Services Curren													MEIO Al violations relu- te correlation
Memory   Bull Very AddOCTION   0   N	N CAVE N	4 ments 4 ment	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	M M M M M M M M M M M M M M M M M M M		0.00804 0.0003	Commonwealth													MEEG, Alvisidions reli as correlates
Memory   Bull Very AddOCTION   0   N	N CAVE N	4 ments 4 ment	5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	M N N N N N N N N N N N N N N N N N N N	P P L L L L L L L L L L L L L L L L L L	0.00804 0.000 0.000 0.000 0.006	Commonwealth													MECO: All violations refu
MINISTRE   SAME CHARGE OF	N COSS N	170 ments 177 ments 177 ments 200 ments 6 100 ments 527 ments 177 ments 177 ments 170	2 2 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	M N N N N N N N N N N N N N N N N N N N	P	0.00804 0.0003	Curre Score	n i i i i i i i i i i i i i i i i i i i												MEG. Al violations ret- to corrollance
Manual Communication   Commu	N COSS N	1775 sentis 200 sentis 600 sentis 627 sentis 777 sentis 770 sentis 700 sentis 100 sentis	2 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N		0.003 0.003	Curre Score	n i i i i i i i i i i i i i i i i i i i												O COPPERING
Macroson Control Con	N CMS	952 xiais 30 xiais 3124 xiais 1700 xiais 75 xiais 80 xiais 2204 xiais 41650 xiais	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N		0.000	Curre Score Curre	0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1												
Macross   GAMPALICATION CONSIDER   Macross	N CMS	952 xiais 30 xiais 3124 xiais 1700 xiais 75 xiais 80 xiais 2204 xiais 41650 xiais	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N	L L L P L L P	0.000	Curre Score Curre	0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1												
Macroson Construct, Corr or	N	952 xiais 30 xiais 3124 xiais 1700 xiais 75 xiais 80 xiais 2204 xiais 41650 xiais	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N	E E E E E E E E E E E E E E E E E E E	0 0.006 0.31	Score Curre Score Curre Rosse O Curre Rosse O Curre Rosse 1 Curre	0 6 0 0 1 0 1												
Macroson Construct, Corr or	N	952 xiais 30 xiais 3124 xiais 1700 xiais 75 xiais 80 xiais 2204 xiais 41650 xiais	5 5 2 2 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0	N N N N N N N N N N N N N N N N N N N	P C C C C C C C C C C C C C C C C C C C	0 0.008 0.31	Score Curre Score Curre Rosse O Curre Rosse O Curre Rosse 1 Curre	0 6 0 0 1 0 1												
MINISTREE   COLONIO DESCRICTORISTON   CONTINUE	N	952 xiais 30 xiais 3124 xiais 1700 xiais 75 xiais 80 xiais 2204 xiais 41650 xiais	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0	N N N N N N N N N N N N N N N N N N N	P	0 0.006	Score Curre Score Curre Rosse O Curre Rosse O Curre Rosse 1 Curre	0 6 0 0 1 0 1												
MINISTED   CONTINUES ON COLUMNIST   CONTINUES	N	952 xiais 30 xiais 3124 xiais 1700 xiais 75 xiais 80 xiais 2204 xiais 41650 xiais	2 2 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0	N N N N N N N N N N N N N N N N N N N	P L L L	0 0.006	Score Curre Score Curre Rosse O Curre Rosse O Curre Rosse 1 Curre	0 6 0 0 1 0 1												
MINISTED   CONTINUES ON COLUMNIST   CONTINUES	N	952 xiais 30 xiais 3124 xiais 1700 xiais 75 xiais 80 xiais 2204 xiais 41650 xiais	2 2 2 5 5 1 1 1 2 2 1 1 1 1 1 1 1 1	0	N N N N N N	E E E	0 0.006 0.31	0 Curre Rosse 0 Curre Rosse 1 Curre	0												
MARCONS   DOMOTRES (NOT CAMPON   1   1	N	952 xiais 30 xiais 3124 xiais 1700 xiais 75 xiais 80 xiais 2204 xiais 41650 xiais	5 2 2 5 5 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1	0	N N N N N	P L L	0.006	0 Curre Rosse 0 Curre Rosse 1 Curre	0												
MINISTREE   CONTINUE   CONTINUE	N	952 xiais 30 xiais 3124 xiais 1700 xiais 75 xiais 80 xiais 2204 xiais 41650 xiais	2 2 5 5 1 1 2 1 1 1	0	N N N N	L L	0.006	0 Curre Score	t 0			l						1			<del></del>
Macroso   General Convort	N	952 xiais 30 xiais 3124 xiais 1700 xiais 75 xiais 80 xiais 2204 xiais 41650 xiais	2 5 5 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1	0	N N N N	L L	0.006	0 Curre Score	t t									<b>†</b>			
M   MODIFICE   GARACTICA TOMORPY   G   N	N	952 xiais 30 xiais 3124 xiais 1700 xiais 75 xiais 80 xiais 2204 xiais 41650 xiais	5 1 1 2 2	0 0 0	N N N	L	0.51	1 Curre								l		1	l	<b>—</b>	l
Macros   September   September	N CWS N CWS N CWS	2394 viols 41650 viols 9866 viols	1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0	N N	L	+	Recon	e e									<b>†</b>		<b> </b>	<b>+</b>
MADDIOSE  DANISHIO GLACOCOMMANA   MADDIOSE  DESCRIPTION   MADDIOSE  DESCRIPTION   MADDIOSE  DESCRIPTION   MADDIOSE  DESCRIPTION   MADDIOSE  DANISHIO   MADIOSE  DAN	N CWS N CWS N CWS	2394 viols 41650 viols 9866 viols	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0	N N			Curre	n t									1			
MADDIOSE  DANISHIO GLACOCOMMANA   MADDIOSE  DESCRIPTION   MADDIOSE  DESCRIPTION   MADDIOSE  DESCRIPTION   MADDIOSE  DESCRIPTION   MADDIOSE  DANISHIO   MADIOSE  DAN	N CWS N CWS N CWS	2394 viols 41650 viols 9866 viols	2 1	0	N		-	Score	0							<b> </b>	1	1	<b> </b>		
MADDIOSE  DANISHIO GLACOCOMMANA   MADDIOSE  DESCRIPTION   MADDIOSE  DESCRIPTION   MADDIOSE  DESCRIPTION   MADDIOSE  DESCRIPTION   MADDIOSE  DANISHIO   MADIOSE  DAN	N CWS N CWS N CWS	2394 viols 41650 viols 9866 viols	1	0			+	Score	0			<b> </b>				<b> </b>	<b> </b>	1	<b> </b>	-	l
MINISTED   PARTICULO DI LA CONSTRUMBATIO   IL N.	N CWS N CWS N CWS	2394 viols 41650 viols 9866 viols		_1	N	P	+ +	Score Score Score Score Score Score Curre Score Score Curre Score Curre	0			1					1	1		<del>                                     </del>	1
M M0001402 CAY TOWNSHIP O N M M0001400 CREWN VALAGE OF O N M M0001400 CANDON TOWNSHIP O N M M0001400 CANDON TOWNSHIP O N M M0001400 CANDON TOWNSHIP O N M	N CWS	9866 <u>viols</u>	- 1	0	N	P	0.079	Score 3 Curre	0												
M M0001400 CAY TOWNSHIP 0 N M M0001400 CREVEN VALACIO* 0 N M M0001400 CAUCHION TOWNSHIP 0 N M M0001400 CAUCHION TOWNSHIP M M M M M M M M M M M M M M M M M M M	N CWS	9866 <u>viols</u>		-	N N	L	+	3 Carne Serves Carne Reves 0 Carne Serves 0 Carne Serves	n t			1					1	1			1
M M0001400 CAY TOWNSHIP 0 N M M0001400 CREVEN VALACIO* 0 N M M0001400 CAUCHION TOWNSHIP 0 N M M0001400 CAUCHION TOWNSHIP M M M M M M M M M M M M M M M M M M M	N CWS	9866 <u>viols</u>			N	-		0 Curre	n t												
M 80000460 CLRFORD VLAGGOF 0 N M 80001460 CLRON TOMOSPP 0 N M 80001460 CLAG, CITY OF 0 N	N CWS N CWS	324 <u>viols</u>	2	0	N N	L	0.0024	0 Curre	n t							l		1	l	<b>—</b>	1
M M0001480 CLIC, CITY OF 0 N	N CWS		-	0	N	L	-	Score	1												
M M0001490 CLIC, CITY OF 0 N	N CWS	97513 viols			N	-		Curre Score 0 Curre Score	0												
		2515 viols	3		N	-	-	Score	0			RS 11/2016: RS requests									
6 M0001500 COLEMAN, CITY OF 0 N 6 M0001500 COLCMAN 01V OF 0 N						T.		Curre	0			PS 11/2016: PS requests that MDEQ refer this system to PS for enforcement for its unaddressed 91/2013- 8/31/2014 CBP Stage 1 TIHM and HAAS MR violations. MEQ 01/17: Supply returned to compliance on									
M8 M0001530 COLEMAN, CITY OF 0 N M8 M0001530 COLCMAN 0 N												unaddressed 9/1/2013-									
M M8001520 COLEMAN, CITY OF 0 N M M8001530 COLEMAN 0 N 0 N												and HAAS MR violations.									
M M0001520 COLEMAN, CITY OF 0 N M M0001530 COLOMA 0 N												returned to compliance on									
M8 M0001530 COLCMA 0 N	N CWS	1243 state		0	N	_		Orre				4313.									
m massissi coccini	u oue	2000		-		_	-	Curre	n												
M IMPORTAGE COLLEGES LAKES ESTATES OF N	N CWS	200 viols		0	N	P		Curre													
MI M0001965 COLUMBIA LAKES ESTATES 0 N	u one	797		۰				Score	n .												
AN ANYONE OF COMMENCES AND A MANAGEMENT OF THE PROPERTY OF T	u one	787 <u>viols</u> 210 <u>viols</u>		0		-		Curre Scree Curre Scree Curre Scree													
M M0001649 COUNTRY PLACE SENIOR CARE CENTER 0 N	N CWS	40		0	N	P		Score													
M M0001650 COTTRELLVELE TOWNSHP 0 N	N CWS	40 <u>xiols</u> 3200 <u>xiols</u>		۰				Curre Score Curre Score													
M MONREY CONTRILITATION OF A		80		۰		-		Score													
MI         M00001852         COUNTRY VILLAGE APARTMENTS         0         N           MI         M00001855         COUNTRY ACRES HOMEOWNERS         0         N	N CWS	80 <u>viols</u> 180 <u>viols</u>	3		N	-		Score Curre Score Curre Rorre Curre Rorre Curre Rorre Curre Rorre Curre Rorre Curre Rorre Rorre Curre Rorre Rorre	0												
MI M0001663 CRANES COVE CONDOMNUMS 0 N	N CWS	180 yola			N	-		Score	0												
M M0001663 CRANES COVE CONDOMNUMS 0 N M M0001665 CROOKED RIVER APARTMENTS 0 N	N CWS	175 <u>viols</u> 32 <u>viols</u>	2	0	N	P		Score	t n												
M MODDIESS CHOCKED REVER APARTMENTS O N	N CWS	32 viols	5	0	N	Р	0.0238	1 Curre Rosse	t n												
M M0001682 LAKESDE APARTMENTS 0 N M M0001682 MACK.CO. HOUSING-CURTIS 0 N	N CWS	30 <u>viols</u>	10	0	N	Р		Curre Score	t n												
M M0001692 MACK. CO. HOUSING-CURTIS 0 N	N CWS	50 <u>xiols</u>	10	0	N	L		Curre	t .												
M M0001710 CRYSTAL FALLS 0 N M M0001716 CRYSTAL NOUNTAIN RESORT & SPA 0 N	N CWS	1922 <u>stols</u>	10	0	N	L		Curre	0												
MI M0001716 CRYSTAL MOUNTAIN RESORT & SPA 0 N	N CWS	500 yight	1	0	N	Р		Curre	0												
MI M0001768 DEERFELD VILLA 0 N	N CWS	72 yigh	11	0	N	Р		Curre Score Curre Score Curre Score	0									RS 2/2015: Update on arsenic MCL violations beginning			
																		MCL violations beginning 4/1/2014. MDEQ 3/2015: Water supply returned to compliance in October 2014.			
																		returned to compliance in October 2014.			
M M0001770 DESFELD 0 N	N CWS	943 <u>viols</u>	334	0 RTC	c N	L	+ +	Curre		MDEQ 9/2017: Multiple											
								Score	0	monthly violations were discovered regarding											
										calibration of a UV filter. The supply returned all of the						1			1	1	1
										MDEO 9/2017: Multiple monthly violations were discovered regarding calibration of a UV film. The supply network all of the type 41 violations to compliance on June 2, 2017. All other violations have salars to compliance as well						1			1	1	1
							1			All other violations have return to compliance as well								1			
M M0001773 DEERWOOD SUBDIVISION 0 N M M0001840 OSCECILA TOWNSHIP 0 N	n CWS	1946 <u>viols</u> 830 <u>viols</u>	5	0	N	L.	1	Curre Score Curre Score	0									1			
MI M0001840 OSCEOLA TOWNSHIP 0 N MI M0001860 DOWAGIAC 0 N	n CWS	830 <u>viols</u>	5	0	N	L.		Curre	0									1			
	N CWS	6350 <u>viols</u>	1	0	N	L	0.004	0 Curre Score	t n												1
M M0001900 DURAND, CITY OF 0 N	N CWS	3800 <u>viols</u>	5	0	N	L	0	0 Curre Score	t n												
M         M00001905         DLNMENTRI HEIGHTS SUBDIVISION         0         N           M         M00001910         AUTURN HELS         0         N           M         M0001915         DLVERWAY PARK APARTMENTS         0         N	N CWS	81 <u>viols</u>	4	0	N	Р	$\Box$	Curre Score	1									ļ			
MI MIXXXXIII AUTUMN HILLS 0 N	N CWS	50 <u>viols</u>	10	0	N	P	$\sqcup \bot$	Curre Score	0									1			<b> </b>
NS NSUU-1915 DUVERNAY PANK APARTMENTS 0 N	N	81 wols 50 wols 68 wols 60 wols 40 wols 84 wols 22442 wols 1 wols	17	0	N	p.	1	0 Curre Rorea  0 Curre Rorea Curre Curre Rorea Curre Rorea Curre Curre Rorea Curre Rorea Curre Rorea Curre Rorea Curre	0									1			
MI M0001520 EAGLE HARBOR TOWNSHP 0 N	N CWS	80 yiols	7	0	N	L	$oxed{\Box}$	Curre Score	0												
M M0001930 HOUGHTON TOWNSHIP 0 N M M0001932 EAGLE VILLAGE 0 N	N CWS	40 yiols	6	0	N	L	0.0188	Curre	0												1
MANUAL DALLE VELAGE 0 N	- CWS	o4 stols	7	0	N		0.0188	1 Curre Score	n									1			1
M M0001950 EASTPOINTE, CITY OF 0 N M M0001950 EAST LANSING MERIDIAN WATER AUTHORITY 0 N	- CWS	seed viols	2	0	N		0.004	0 Curre Score	n									1			L
M M0001925 BAST LANSING MERIDIAN WATER AUTHORITY O N M M0002000 PINE KNOLL APARTMENTS, LLC O N	N CWS	1 viols	10	0	N	L.	٥	0 Curre Score	0												
NE MOUGELOU PINE KNOLL APARTMENTS, LLC 0 N	N CWS	100 viols	3	0	N	P		Score				1					1				
M M0002025 EATON GREEN ESTATES SUBDIVISION 0 N M M00022070 EDWORE 0 N	N CWS	1 viols 100 viols 363 viols 1201 viols 372 viols		0	N	P	+	Score Curre Score Curre Score Curre Score Curre Score Curre Score Curre Score	0			1					1	<b>_</b>			ļ
M M0002070 EDMCRE 0 N M M0002080 ELBERTA, VELAGE OF 0 N	N CWS	1201 <u>stols</u>	2	0	N	L.		Score	0												
M M0002080 ELBERTA, VILLAGE OF 0 N M M0002124 EMERY PNES 0 N	- CWS	ar2 stols	1	0	N	- 1		Score	0									1			L
M M0002124 EMERY PINES 0 N M M0002195 LANTERN BAY TREATMENT CENTER 0 N	N CWS	50 <u>viols</u> 52 <u>viols</u>	1	0	N	-1"		Score	0									1			L
M M0002195 LANTERN BAY TREATMENT CENTER 0 N M M0002230 FARMINGTON, CITY OF 0 N	CWS	52 <u>viols</u> 10500 <u>viols</u>		0	N	ľ	$\perp \perp$	Screen	n l			1					1	<b>_</b>			ļ
M M0002230 FARMINGTON, CITY OF 0 N M M0002273 FENTON HARBOR CONDOMINAMS 0 N	N CWS	10000 viols	2	0	N .	L e	0	0 Curre Rosse Curre Score	n l			1		MANAGE NA	MORO ALINE THE PERSON	MDEO MINE.	MDEO TIME A	DE SPANE IN			ļ
MADDIZZ73 FENTON HARBOR CONDOMNUMS 0 N	N CWS	40 viols	36	o serc	- IN	ľ		Score	0	J	J			MDEQ 4/16. New media w orking, system returned to compliance on 12/09/2015.	nucu 01/16: Wating for 4th quarter compliance	results remain below the	MDEQ 7/15: quarterly results remain below the MCL; however, the RAA is still over 10.	PO 2/2015: Update on arsenic MCL violations beginning	1	1	
														compance on 12/09/2015.	MDEQ 01/16: Waiting for 4th quarter compliance monitoring to calculate RAA, to determine compliance with the MCL.	still over 10.	now ever, the NAA is still over 10.	R52/2015: Update on arsenic MCL violations beginning 1/1/2014. MDRQ 4/2015: Media has been replaced and terrent		1	1
															um ribat.	1		been replaced and recent results are below the MCL. However, RAA is still over	1		
MANAGER LANGUAGE VIEW COMMANDE VIEW COMMAND VIEW COMMANDE VIEW COMMAND VIEW COMMANDE VIEW COMMAND VIEW COM		900				-	+					1					1	to			ļ
M M0002277 LANE PAYRY VILLAGE CONDOMINUMS 0 N N M M0002290 PERNOALE 0 N N M M0002310 PLINT, CITY OF 0 N M M0002310 FUNT, CITY OF 0 N N	N CWS	900 viols	- 5	0	N N	P	$\perp \perp$	Curre				1					1	ļ			ļ
N N N N N N N N N N N N N N N N N N N	CWS	zzred <u>viols</u>		0	N		0.007	0 Curre Score				ļ					ļ	1			1
M M0002370 FORSYTH TOWNSHP	N CMP	2479	39	0 800	n N		2000	Score	0			-					-	<b> </b>			MDEQ: All violations re
M M0002385 FORT GRATIOT TOWNSHIP 0 N	N Chie	900 viols 22305 viols 98310 viols 2479 viols 11153 viols 1136 viols		0 100	- N		0.0019	Curre Score 0 Curre Score 1 Curre Score 0 Curre Score Curre Score Curre Score Curre Score								l	1	1	l	-	to compliance
M M0002300 FOWLER, VILLAGE OF 0 N	N ANA	1130			- 1		0018	Score								l	1	1	l	-	l

Marie   Mari	Stat PWSID PWS Name	ETT Sys	PWS I	op Viola P	riority Repeat	Total	On Path to	School 0	Owner Las	at Lead Num	Lead ETT S	core October 2017 ETT Quarterly	July 2017 ETT Quarterly Undate	April 2017 ETT Quarterly	January 2017 ETT Quarterly	y October 2016 ETT Quarterly Update	July 2016 ETT Quarterly	April 2016 ETT Quarterly Update	January 2016 ETT Quarterly Update	October 2015 ETT Quarterly	July 2015 ETT Quarterly	April 2015 ETT Quarterly Update	January 2015 ETT Quarterly	October 2014 ETT Quarterly	July 2014 ETT Quarterly	April 2014 ETT Quarterly Update
Mathematical Content of the conten		O N	ONE .	2072 state	Tool 7	d Buists	Compriance	Children C	Code So	ALL					-	-				-	ļ .	-				
Mathematical Content of the conten	M MADE AND POWERVELE, VELAGE OF	0 10	LWS	2W2 9011	, ,		1	N .			Score	0						MDEQ refer this system to RE for enforcement for its Lead								
Mathematical Content of the conten																		Consumer Notice violation. MDEQ 6/16: System RTC on								
Column																		3/17/16.								
Column	M M0002430 FRANKFORT, CITY OF	0 N	CWS	1286 <u>viols</u>	3			N L	L		Curren	0														
Test	M MODIAN BROOK OF OF	0 N	CWS	403 <u>viols</u>	- '			N P		0.0006	Score															
Test	M MODESTO GAASTRA		OWS	10300 <u>91011</u>				N I		0.0000	Score	0														
Test	M M0002540 GARDEN		CWS	270 viols	1			N L		_	Score	0														
Column	M M0002500 SHERMAN TOWNSHIP		cws	40 viols	5	0		N L	L		Curren	n t														
Column	M M0002615 GENESEE COUNTY WATER SYSTEM	0 N	cws	71500 <u>viols</u>	3			N L	L	0.001	0 Curren	n t						RS 5/2016: RS requests that								
Column											Score	0						MDEQ refer this system to RE for enforcement for its Lead								
Column																		MDEQ 6/16: System RTC on								
Teal Content	M M0002619 PRENTS ESTATES APARTMENTS	0 N	ows	500 viols	- 1			N F	P	_	Curren							31010.								
Teal Content	M M0002640 GLADSTONE	0 N	cws	4396 viols	10			N L	L	0.0025	0 Curren	n t														-
Teal Content	M M0002805 GRAND TRAVERSE CONDOMNUMS	0 N	cws	60 viols	5			N F	Р		Score Curren	n t														
Teal Content	M M0002823 GRANT	0 N	cws	894 <u>viols</u>	6	0		N L	L		Curren															
Mary Control	M M0002851 GREENVILLE ACRES	0 N	cws	50 <u>viols</u>	2			N F	Р		Curren	t o								PS requests referral for						
Teal											Julia									in 2011 and 2013. MDEQ 01/16: SOX for both	1					
Teal																				violations 07/30/15. No referral necessary.						
Mathematical   Math	M M0002855 GREENWOOD APARTMENTS	0 N	cws	50 yigh	6	0		N F	Р		Curren															
Mathematical   Math	M M0002860 ELY TOWNSHIP-GREENWOOD	0 N	cws	266 <u>viols</u>	11	0		N L	L		Score	1														
Column	M M0002900 GROSSE PONTE PARK	0 N	CWS	11555 <u>stols</u>	3			N L	L	0	0 Curren															
No.   Control	M M0002925 LAKE DOSTER	0 N	CWS	1287 <u>viols</u>	2	0		N L	L		Score Curren		l							l	1	1				
Property	AN ANDRONO CONTRACTOR CONTRACTOR	0 N	cws	viols	1	0		N L	L		Curren	t o			1						1	1				1
Control	M M0002943 HALE HOMESTEAD APARTMENTS		cws	72 viols	3	0		N F	Р		Curren	t 0									I	I				
Control	M M0003010 HARBOR SPRINGS, CITY OF	0 N	cws	1194 <u>viols</u>	1	0		N L	L		Curren	1														
Control	M M0003015 HARBOR SPRINGS AREA AUTHORITY	0 N	cws	303 <u>viols</u>	1	0		N L	L		Curren	0														
Control	M M0003020 HARPER WOODS	0 N	cws	14236 <u>stols</u>	1	0		N L	L	0.001	0 Curren Score	0														
Part	M M0003040 HARRISON TOWNSHIP	0 N	CWS	24500 <u>viols</u>	7	0		N L	L T	0	0 Currer Score	0														
Part	M MXXXXXV HARTFORD	0 N	CWS	2658 <u>viols</u>	1	0		N L	L		Currer	0									ļ	ļ				
Part		0 N	UNS	/350 <u>viols</u>	8	0	1	N L	L D	0.003	0 Curren	0														
Part		ON	UND .	Ju viols	25	1 0	AIC	r"			Score	6	1							when MDEQ will be SOXing	learned that Harb Dhillon is re	MDEQ and (1) made revisions	2/2015: Received Word file	4/15/2014 and AO issued on		www.remerred to Region
Part												1						1	1	address deficiency TT	Heritage Apartments was	Word file as requested in	submittal, and advised MDBQ that RS is core	Violations (failure to address		1
Part																				was a data omnission, SOX	closed on purchasing	owner; (2) prepared a	the changes DEQ requested	provide public notice for		
Part																				entered in SDWB.	Bank Financial on June 29, 2015 FRA mailed 2012-2014	2014 that includes FN	adding Ter 2 PN for failure to address significant	them) and GWR Notification Violation (failure to consult		
Part																					CORts to residents on June	address significant	deficiencies, and having	with the State regarding the		
Part																					as the PWS contact. The	prepared a written CCOP for	Heritage Apartment	for System's significant deficiencies: Lead and		
Part																					all violations to compliance	owner on 5/4/2015 with	issue would be the	Copper Rule (LCR) MIR, and		
Part																					introducing a written cross	submit to MDEQ. ACTION:	connection control program (CCCIS. We need to have	9/19/2014 AO personally served to system owner by		
Part																					(CCCP). MDEQ has followed	submits the CCOP to MDEQ.	further discussion with	M DNR law enforcement		
Part																					ensure compliance and to	deficiency to the combined	meets their current	subsequently compled with		
Part																					address the CCCP portion of the GWR significant	email it and a certification of	Coordinate with MDEQ to	the AO's requirements to monitor for lead/copper and		
Part																					deficiency. 7/23/2015: copy of R5's 7/23/20115	delivery form to owner with instructions to deliver CORs	ensure that R5's revisions to the CY 2013 COR are	complete corrective action		
Part																					was sent to Kris Philips,	signed certification. If owner	understand the actions	for posting PN for MR		
Part																					MANU	2012-2014 COR to residents,	infroduce an adequate CCCP	bacteriological sampling plan		
Part																						having M DNR law	action for the PWS and/or	plan. System has not		
Part	M M0003134 HIGHFIELDS YOUTH CAMP	0 N	cws	96 yigh	1	0		N F	Р		Curren							RS 5/2016: RS requests that				-	consecutive technical	for a builties of deficiencies		
Minister											Score	0						MDEQ refer this system to R5 for enforcement for its Lead								
Minister																		Consumer Notice Violation. MDEQ 6/16: System RTC on								
Series Se	M MOOTS HOH AND HAVENWOODSDEARTS	0 N	OWS	40 state	-			N I	P	_	Corner							31016.								
Series Se	M M0003140 HGHLAND PARK	0 N	CWS	11776 viola	2			N L			Score 0 Curren	0														
Series Se	M M0003165 HILLS OF WALLOON ASSOCIATION	0 N	cws	87 yiels	5	0		N F	Р		Score	0														
March   Marc	M M0003170 HELSDALE	0 N	CWS	8163 viols	1	0		N L	L	0	0 Curren	n t														
March   Marc	M M000325 HOMESTBAD PINES HOMEOWNERS	0 N	cws	84 viols	1	0		N F	Р	_	Curren	n t														
March   Marc	M M0003228 HOPE NETWORK - WEST LAKE: FACILITY	0 N	cws	48 viols	1	0		N F	Р		Curren	n t														
March   Marc		0 N	cws	48 <u>viols</u>	42		RTC	N F	Р		Curren	t n									1	1	MDEQ 3/2015: Water supply			MDEQ: All violations return to compliance
March   Marc		p N	CWS					N.		- 2	1 Current				1	-					1	1	Petrobar 2014			w companie
Marcian   Marc	M M0003312 HIGH-AND TOWNSHIP	0 N	CWS	3472 viola	3		$\vdash$	N I			Rrees 0 Cyres	0	<b> </b>	-	+	+	1	<del>                                     </del>	<del>                                     </del>	<b> </b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<b> </b>	1	+
Marcian   Marc	M M0003323 HJPONTOWNSHP	0 N	CWS	437 viola	10		$\vdash$	N I	L	-1-	Score	0		1	1	-	1				1	1			1	1
Marcian   Marc	M M0003340 MLAY CITY, CITY OF	0 N	CWS	3597 viola	10	0	_	N L	L	0	Score Curren	0		1	1	-	1				1	1			1	1
Marcian   Marc	M M0003343 WAKEFELD TOWNSHP	0 N	cws	177 yeals		0		N L	L		Score	0			1	1		1	1		1	1	1	1		1
Marcian   Marc	M M0003360 INCSTER	0 N	cws	25369 <u>viols</u>	- 1	0	<del>   </del>	N L	L	0.0032	6 Curren		l		1	<del>                                     </del>				l	1	1				1
Marcian   Marc	M MOODACO BON MOUNTAIN	0 N	cws	9200 <u>viols</u>	1	0	-	N L			0 Curren	1			+	+		<b> </b>	<b> </b>		t	t	<b> </b>			+
Marchan   Marc		0 N	cws	3019 <u>viols</u>	24	0		N L	L		Curren				1	1		<b> </b>	<b> </b>		1	1	<b> </b>			1
Marchan   Marc	M M0003452 BLANDVEW HOME OWNERS ASSOCIATION	N 0 N	cws	54 viols	12		RTC	N F	Р	0.045	1 Curren				1	1		<b> </b>	<b> </b>		1	1	<b> </b>			1
Marchan   Marc	M M0003460 THACA, CITY OF	0 N	cws	3098 <u>viols</u>	2			N L	L		Curren				1	1		<b> </b>	<b> </b>		1	1	<b> </b>			1
Marcial   Marc	M M0003475 JAMES TOWNSHIP	0 N	CWS	2023 <u>viols</u>	1	0		N L	L	$\neg$	Curren	1									l	l				
Marcial   Marc	M M0003490 JONESVILLE	0 N	cws	2258 <u>stols</u>	1	0		N L	L	$\neg$	Curren	t n									l	l				
Marcon   M	M M0003505 JUNPER HILLS CONDOMNUMS	0 N	cws	50 Mola	33	0		N F	Р	$\neg$	Curren	1									l	l				
Marcian   Marc	M M0003545 KALCHIK ESTATES	0 N	cws	153 <u>viols</u>	9	0		N F	Р		Curren	i i			1						1	1				1
# MINIOR MANULT PRIMER   1	M M0003550 KALEVA, VILLAGE OF	0 N	cws	509 <u>viols</u>	1	0		N L	L		Curren	i i			1						1	1				1
# MINIOR MANULT PRIMER   1	M M0003598 KELLOGG BIOLOGICAL STATION		cws	100 viols	1	0		N L	L		Curren	1				1		1	1		1	1	1	1		1
## MASSING MASSINGAMENT CLAUSE	M M0003628 KWBALL TOWNSHP	0 N	CWS	3463 <u>viols</u>	2	0		N L	L	0.0014	0 Curren	t o			1						1	1				1
## MASSING MASSINGAMENT CLAUSE	M M0003650 KINGSLEY, VILLAGE OF	0 N	cws	1469 <u>viols</u>	11	0		N L	L		Curren	1				1		1	1		1	1	1	1		1
## MINISTER CONFILENCE OF THE PROPERTY OF THE	M M0003661 KRITLAND COMMUNITY COLLEGE	0 N	cws	25 <u>viols</u>	5			N L	L		Curren															
## MINISTER CONFILENCE OF THE PROPERTY OF THE	M M0003666 KNORFWOOD KNOLLS SUBDIVISION	0 N	cws	240 yigh	5	0		N L	L	0.022	2 Currer Screen	0														
# MERCE   MARCHAN   MARCHA		0 N	CWS	4742 <u>stols</u>	1	0		N L	L	0.003	0 Curren Score	0														
4 MORDIN LANGE ACCOUNTS 6 6 8 06 24 Mag. 6 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1	M M0003670 L'ANSE	0 N	cws	2300 viols	5	0		N L	L		Curren	0														
# MORPOR MARKA CANDALA	M M0003691 LAKE ANGELA CONDO APTS #3	0 N	cws	24 <u>stols</u>	1	0		N F	Р		Curren	t o														
# MORPOR MARKA CANDALA	M M0003695 LAKE BELLA VISTA	0 N	cws	3584 <u>viols</u>	5	0		N F	Р	0	0 Curren	t o														
8 MORROS PROTECTION 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	MI M0003696 LAKE ANGELA CONDO APTS #6	0 N	CWS	24 <u>viols</u>	1	0		N F	Р		Curren	t o														
8 MORROS PROTECTION 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M M0003730 LAKE COESSA	0 N	cws	2288 <u>viols</u>	1	0		N L	L	5	1 Curren	t n														
8 MORROS PROTECTION 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M M0003737 LAKE PONTE CONDOMNUMS	0 N	cws	74 <u>viols</u>	1	0		N F	Р		Curren	t n														
8 MORROS PROTECTION 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M M0003753 LAKESHORE HILLTOP APARTMENTS	0 N	cws	82 <u>stols</u>	1	0		N F	Р		Curren	0														
8 MORROS PROTECTION 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M M0003780 LAPRER, CITY OF	0 N	cws	8841 <u>viols</u>	1	0		N L	L	0.006	0 Curren	0														
8 MORROS PROTECTION 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M M0003829 LEELANAU CO LAW ENFORCEMENT CENTE	R ON	cws	72 yiels	1	0		N L	L		Curren	1									1	1				1
8 MORROS PROTECTION 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M M0003830 LAWTON	0 N	cws	1900 <u>viola</u>	11	0	RTC	N L	L		Curren	1									1	1				1
4 MADDIS PRINCEMEN 0 1 N ON 1 N USA		0.0	CWS	3854 <u>viols</u>	1	0		N L	L	0.0013	0 Curren	t n									1	1				1
4 MANDER DECEMBER 1 PROFESSION	M M0003896 WORTH TOWNSHIP	1 7 1																								
4 MENONICAL DESCRIPTION ON THE TOTAL	M M0003898 WORTH TOWNSHIP M M0003857 PRESTICE PNES	0 N	cws	39 viols	5	0		N F	P		Curren	t n														
	M         M0003889         WORTH TOWNSHIP           M         M0003887         PRESTICE PNES           M         M0003888         LINCOLIN MANOR	0 N	CWS	39 <u>viols</u> 30 <u>viols</u>	5	0		N F	P		Currer Roses Currer Roses	t 0														

Stat PWSID PWS Name e	ETT Sys I	PWS P	op Viols P	riority Repeat	Total	On Path to 5	School Ow	ner Last Lea	Num Lead	FT Score October 2017 ETT Quarterly Update	July 2017 ETT Quarterly	April 2017 ETT Quarterly	January 2017 ETT Quarterly	October 2016 ETT Quarterly	July 2016 ETT Quarterly	April 2016 ETT Quarterly	January 2016 ETT Quarterly	October 2015 ETT Quarterly	July 2015 ETT Quarterly	April 2015 ETT Quarterly	January 2015 ETT Quarterly Update	October 2014 ETT Quarterly	July 2014 ETT Quarterly	April 2014 ETT Quarteri Update
	Score has HB 1	Type S	vd S	nce Date Violator	Unresolve of Boists	Compliance of	or Typ	10 50%			Updata	Update	Update	Update	Update	Update	Update	Update	Update	Update	Update	Update	Update	Update
M M0003027 LITTLE TRAVERSE TOWNSHIP	0 N 0	CWS	1102 <u>viols</u>	5	0	,	N L			urrent core 0														
M M0003943 LOCKPORT TOWNSHIP M M0003947 LONG LAKE VELLAGE SUBDIVISION	0 N 0	cws	1778 <u>viols</u>	6	0	RTC P	N L			urrent core 0														
M M0003947 LONG LAKE VILLAGE SUBDIVISION	0 N 0	cws	67 <u>viols</u>	2	0	,	N P			urrent core 0 urrent core 0														
M M0004030 MANISTEE, CITY OF M M0004042 MANITOU LAKE APARTMENTS		cws	6586 <u>viols</u>	- 1	0	,	N L	0.00		urrent														
M M0004042 MANITOU LAKE APARTMENTS	0 N 0	CWS	75 yiels	- 1	0	,	N P			urrent														
M M0004050 MANTON, CITY OF M M0004080 MAPLE RAPIDS, VILLAGE OF		cws	67 <u>viols</u> 6586 <u>viols</u> 75 <u>viols</u> 1221 <u>viols</u>		0	,	N L			core u  core d														
M M0004080 MAPLE RAPIDS, VILLAGE OF	0 N 0	CWS	643 viols	7	0	,	N L			urrent														
M M0004090 MARINECITY	0 N 0	CWS	4652 <u>viols</u>	-	0	,	N L	0.001		urrent														
M M0004110 MARLETTE, CITY OF	0 N 0	CWS	1875 Mals	13	0	,	N L			urrent														
M M0004120 MARQUETTE	0 N 0	cws :	1000 <u>stols</u>	-	0	,	N L	0.00		core 0 urrent core 0														
M M0004152 MATHAS TOWNSHIP	0 N 0	cws	175 yiels		0	,	N L	_		core 0 urrent				RS 11/2016: RS requests										
										urrent core 0				RS 11/2010: RS requests that MDEQ refer this system to RS for enforcement for its unaddressed 8/2013 DBP Stage 1 TFMIand HAAS MR violations. MDEQ 01/17: Supply returned to compliance 8/19/19										
M M0004155 MARTIN	0 N 0	CWS	785 <u>viols</u>	1	0	,	N L			urrent core 0														
18 ABDOSH 100 BBARY'S CITY OF DAVID	O N	CWS	35 <u>wais</u>	23	0	REC	N P			ureed core 0			PS 2/10/2017: PS request that MDEO refer this system to PS for enforcement of its Arsenic MZL violations. MDEO 3/817: Supply PTC with arsenic MZL on 11/2016. No referral reconstacy.			PG 5/2016: PS requests that MDED refer this system to RS for enforcement of a GWR failure to address deficiency coulding, feet Gefformand LCR MRY visitions, and RM LCR MRY vi								
																therefore no referral is								
M M0004220 MELVINDALE	0 N 0	UMS .	ur15 <u>viols</u>	2	٥	,	N L	0.00	۰	urrent core 0	1			1							1			
M M0004230 MEMPHS, CITY OF M M0004240 MENDON	0 N 0	CWS	1180 <u>viols</u> 920 <u>viols</u>	-	0	∟₽	N L			urrent cone 0													1	L
M M0004240 MENDON	0 N 0	cws	920 <u>viols</u>	-	0	,	N L	T	l I	urrent	1		1	1 -			-	_	-	-	1 -	1	1	1
M M0004250 MENCMINEE		CWS	8800 yigh	10	0	,	N L		0	urrent														
M M0004310 MESICK VILLAGE OF	0 N 0	cws	394 viols	- 6	0	,	N L	_		core 0 creet 0 creet 0 creet 0	1			1							1		1	1
M M0004320 MCH4A44 M M0004320 MLAN M M0004327 MLAN M M0004327 MLERISBURG, VILLAGE OF M M0004455 MCNRICE SOUTH COUNTY	0 N 0	cws	182 <u>viols</u> 7363 <u>viols</u>		0	<b>—</b>	N L	+	+	rom 0 urrent	1	1	1	l							l	<b></b>	1	1
M MODASON MIAN	0 N 0	ows	7963 viols			<b>⊢</b> − 1.		0.003		urrent cone 0 urrent	+	-	-	<del>                                     </del>	-					-	<del>                                     </del>	-	+	
	N S				- 0		-	0.003	1 1	cone O	1			ļ						l	ļ		1	<b> </b>
NR NRJ004397 MILLERSBURG, VILLAGE OF	0 N 0	UNS	206 <u>viols</u>	1	0	,	N L		$\perp$	urrent core 0	ļ			ļ									1	1
M M0004455 MONROE SOUTH COUNTY	0 N 0	cws :	3816 <u>viols</u>	10	0	<u> </u>	N L	0.00	0	urrent core 0													1	
58 M00054480 MONTROSE, CITY OF			1657 <u>viols</u>	11	0	*	N L			core. In Tried Core Ocean Core Ocean						RS 5/2016: RS requests that MDEQ refer this system to RS for enforcement for its Lead Consumer Notice, and Stage 2 HAAS MR violations. MDEQ 6/16: System RTC for Lead consumer notice or 3/22/16 and for Stage 2 MR on 0/10/15.								
M M0004520 MOUNT MORRIS, CITY OF	0 N 0	cws	3086 <u>viols</u>	- 2	0	,	N L			urrent														
M M0004520 MCUNT M01995, CITY OF M M0004530 MCUNT PLEASANT, CITY OF M M0004550 MLMSNNG M M0004640 TLEEN TOWNSHP	0 N 0	cws :	9084 viols			<b>⊢</b> − 1,	N L	+		urnest core 0	1	-	1	1							1	1	1	1
Market Parameter, Co. 1 CF	1 0 0	and .	2792			L (	.	_	1 1	rore 0	1		1	1							1	1	1	1
M M0004560 MUNSING	0 N 0	CWS	2783 <u>viols</u>	10	0		N L		L	urrent com 0												<u></u>		
M M0004640 TLDEN TOWNSHP	O N G O N G O N G O N G O N G O N G O N G O N G O N G O N G O N G O N G	cws	350 viols	2	0	,	N L	T		urrent	1		1	1			-	-		l -	1	1	1	1
M M0004647 NAZARENE CAMP M M0004630 NORTHVILLE M M0004645 NORTHVILLE TOWNSHIP	0 N 0	cws	610 <u>viols</u>	2	0	,	N P			urrent	1			i e										1
M M0004830 NORTHVILLE	0 N 0	cws	6039 <u>viols</u>	- 2	0	,	N L	0.003	0	urned	1			1							1		1	1
M M0004845 NORTHVILLE TOWNSHIP	0 N 0	cws :	9897 yiols	<del></del>	0	<del>                                     </del>	N L	+	-	core u urrent	t	<b> </b>		t							t		1	t
MADDO-003   NORTHYPIALE   LUMINOPIP	0 N	CWS	36		-	<del>                                     </del>	y le	+	+ $-$ 1	core 0	+	-	-	<del>                                     </del>	-					-	<del>                                     </del>	-	+	
	1 1		2011			$\vdash \vdash \vdash$	. 1			core 0				1							1			
	o N G	-AD	1130 yiola		٥		٠ ٢		$\perp$	core 0	ļ			ļ									1	1
M M0005030 ONTONAGON	0 N 0	cws	2919 <u>viols</u>	,	0	, T	N L		1 7	urrent	1			l										
M M0005034 ORONOKOTOWNSHP M M0005030 OTBVILLE VILLAGE OF	0 N 0	cws	2310 <u>viols</u>	1	0	,	N L	T		urrent	1		1	1			-	-		l -	1	1	1	1
M M0005050 OTBVILLE VILLAGE OF	0 N 0	cws	864 viols	- 5	0	,	N L	1		urrent														
M M0005130 OXFORD, VELAGE OF	0 N 0	cws	3540 <u>viola</u>		0	-	N L	_		urrent	1			1							1		1	1
M M0005130 CKFOPD, VLLAGE OF M M0005136 CKFOPD VLLAGE CONDOMNUMS	0 N	cws	80 viols		0	<del> </del>	N P	+	+	core 0 urrent	1	1	1	l							l	<b></b>	1	1
M MODSTAN RO-MOND TOWNSHIP	- N	OWS	489			<u>— К</u>		+	$\vdash$	core 0	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	l					<b></b>	<del>                                     </del>	<del>                                     </del>	1	<del>                                     </del>
M M0005160 RICHMOND TOWNSHIP M M0005180 MAN NOR FARMS SUBDIVISION	- I		viols				.	_		core 0	ļ			ļ							1		1	ļ
NI NILUUSTRU MAN NOR FARMS SUBDIVISION	0 N 0	UNS	193 <u>viols</u>	6	0		N L			urrent core 0													1	
M M0005200 PARCHIENT M M0005240 PENTLAND TOWNSHP	0 N 0	CWS	3174 <u>viols</u>	3	0	╙┸	N L	$\perp$	┸┛	urrent core 0														
M M0005240 PENTLAND TOWNSHIP	0 N 0	CWS	450 <u>viols</u>	10	0	,	N L			urrent process														
M M0005305 PETOSKEY PARK APARTMENTS	0 N 0	cws	70 viols		0	,	N P	_		urrent	1	<b> </b>	1	1	l					l	1	1	1	1
M M0005310 PEWAND	0 N	OWS	469 viols	9	0		N L			urest cos 0											R5 - Lead consumer notice violation referral requested by R5 in August 2014. MDEG 32015: Supply returned to compliance February 2015.	MDEQ 1/2015: This issue is not yet resolved, how ever, DEQ declines to refer. DEQ district staff will further pursue this violation.	MDEQ 10/14: DEQ declines to refer at this time. PS 8/2014: RS requests that MDEQ refer system to RS for enforcement of Lead Consumer Nation	
M M0005315 PHEASANT RUN MANOR APARTMENTS M M0005520 PROEDN, VELAGE OF M M0005522 PROONEY, VELAGE OF	0 N 0	CWS	360 <u>viols</u>	1	0		N P		$oxed{oxed}$	urrent come 0									-					
M M0005320 PIGEON, VILLAGE OF	0 N 0	cws	1208 <u>viols</u>	1	0	- 1.					1													
M M0005322 PNONEY, VILLAGE OF	0 N 0					i 1'	N L			urrent														
M M0005530 PNCONNIC, CITY OF		CWS	2400 <u>stols</u>	5	0		N L			urrent cone 0 urrent														
	0 N 0	cws	2400 <u>viols</u> 1307 <u>viols</u>	15	0	REC	N L			urent rece 0 urent core 0 urent						MDEQ 6/16: Systemhad								
M M0005530 PNCONNING, CITY OF	0 N 0	CWS	2400 <u>viols</u> 1307 <u>viols</u>	15	0	REC P	N L			urrent cook d						MDEQ 6/16: Systemhad TTHM MCL. Changed source in 10/15 and RTC 3/7/16.								
M M0005334 PINEEROOK CONDOMNUMS	0 N 0	CWS		15	0	RTC P	N L N L			urrent						MDEQ 6/16: Systemhad TTHMMCL. Osanged source in 10/15 and RTC 37716.								
MEDICATE   PROPERTY CASE   MEDICATE   MEDI	0 N 0	OWS OWS	35 Mais	10 10 11 21	0	PETC P	N L			urrent cone 0 cone 0				MEED 01/17: The supply returned to compliance on 91/2/16.	PS 82016 PC requests that MEEQ rafe this system to RS for endocrame to the for conduction of the formation of formation	MDED 616. Systemhad TRMMCL. Changel source is 1915 and RFC 9716.								
MEDICATE   PROPERTY CASE   MEDICATE   MEDI	0 N 0	OWS OWS	35 Mais	15 21	0	PETC P	N L			urrent cone 0 cone 0					PS 20016 for requests that for expectation of the second o	MDED 016: Systemhad TRMMAC. Chappel source in 1015 and RFC 37716.								
Macrosco   Macrosco Corporado	0 N 0	OWS OWS	35 Mais	1 10 10 10 10 10 10 10 10 10 10 10 10 10	0	PETC P	N L		0	urred urred cree 0 0					MDEO 10/16: System signed an ACD in April 20/16. They have installed a new well and disconnected the high well from service. This should be resolved by the end of O'16. No referral									
Maccost   Maccond   Macc	0 N 0 N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O Y 0 O O O O O O O O O O O O O O O O	OWS OWS OWS OWS OWS	35 well	1 1 00 72	0 0	PETC P	N L		0	urrent cone 0 cone 0					MDEO 10/16: System signed an ACD in April 20/16. They have installed a new well and disconnected the high well from service. This should be resolved by the end of O'16. No referral	IEEE STIG Systembol TYPERICE, Owendraum or Ty								
MEDISON   MICHIGAN CONTINUES	0 N 0 N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O Y 0 O O O O O O O O O O O O O O O O	OWS OWS OWS OWS OWS	35 well	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 5	PETC P	N L		0	Amenda (Maria Maria Mari					MDEO 10/16: System signed an ACD in April 20/16. They have installed a new well and disconnected the high well from service. This should be resolved by the end of O'16. No referral									
Management   Man	0 N 0 N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O Y 0 O O O O O O O O O O O O O O O O	OWS OWS OWS OWS OWS	35 well	1 21	0 0 0 5	PETC P	N L		0	Amenda (Maria Maria Mari					MDEO 10/16: System signed an ACD in April 20/16. They have installed a new well and disconnected the high well from service. This should be resolved by the end of O'16. No referral									
MEDISON   MICHIGAN CONTINUES	0 N 0 N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O N 0 O Y 0 O O O O O O O O O O O O O O O O	OWS OWS OWS OWS OWS	35 well	1 1 21 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PETC P	N L		0	Amenda (Maria Maria Mari					MDEO 10/16: System signed an ACD in April 20/16. They have installed a new well and disconnected the high well from service. This should be resolved by the end of O'16. No referral									
MINISTRA   MINISTRA   MINISTRA	O N 0 0 N 0 N 0 0	CWS	300 minis 35 minis 35 minis 35 minis 35 minis 35 minis 773 minis 775 minis 775 minis 777 minis	1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PETC P	N L		0	Amenda (Maria Maria Mari					MDEO 10/16: System signed an ACD in April 20/16. They have installed a new well and disconnected the high well from service. This should be resolved by the end of O'16. No referral									
MINISTER   MINISTER   MINISTER	O N 0 0 N 0 N 0 0	CWS	300 minis 35 minis 35 minis 35 minis 35 minis 35 minis 773 minis 775 minis 775 minis 777 minis	1 1 221 221 221 221 221 221 221 221 221	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PETC P	N L	0.000	0	Amenda (Maria Maria Mari					MDEO 10/16: System signed an ACD in April 20/16. They have installed a new well and disconnected the high well from service. This should be resolved by the end of O'16. No referral									
MINISTRA   MINISTRA   MINISTRA   MINISTRA	O N O N O N O N O N O N O N O N O N O N	COVIS  CO	55 zmli 55 zmli 55 zmli 56 zmli 57 zmli 170 zmli 171 zmli 178 zmli	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PETC P	N L		0	Amenda (Maria Maria Mari					MDEO 10/16: System signed an ACD in April 20/16. They have installed a new well and disconnected the high well from service. This should be resolved by the end of O'16. No referral									
MILESTAND   MICHAEL CHI O'	O N O N O N O N O N O N O N O N O N O N	COVIS  CO	55 Maii  55 Maii  56 Maii  57 Maii  77 Maii  115 Maii  178 Maii  1	1 1 1 1 1 1 1 1 1 1 2 2 5 5 5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PETC P	N L		0	and					MDEO 10/16: System signed an ACD in April 20/16. They have installed a new well and disconnected the high well from service. This should be resolved by the end of O'16. No referral									
MINISTRA   MINISTRA   MINISTRA   MINISTRA	O N O N O N O N O N O N O N O N O N O N	COVIS  CO	55 zmli 55 zmli 55 zmli 56 zmli 57 zmli 170 zmli 171 zmli 178 zmli	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PETC P	N L		0	and					MDEO 10/16: System signed an ACD in April 20/16. They have installed a new well and disconnected the high well from service. This should be resolved by the end of O'16. No referral			MCD 2110. System-holded	MACO SISS NASAY (III III					
Manager	O N O N O N O N O N O N O N O N O N O N	COVIS	100 xmix 35 xmix 55 xmix 55 xmix 772 xmix 772 xmix 115 xmix	1 1 1 1 1 1 1 1 2 2 5 5 20 20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PETC P	N L		0	amend (Maria Maria					MDEO 10/16: System signed an ACD in April 20/16. They have installed a new well and disconnected the high well from service. This should be resolved by the end of O'16. No referral			MXXX 2018. System-haded	MASSO 1010 handing qui ti Col 10 Specification III					
MINISTER   MINISTER   MINISTER	O N O N O N O N O N O N O N O N O N O N	COVIS	100 xmix 35 xmix 55 xmix 55 xmix 772 xmix 772 xmix 115 xmix	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	FREC 7	N		0	amend (Maria Maria					MDEO 10/16: System signed an ACD in April 20/16. They have installed a new well and disconnected the high well from service. This should be resolved by the end of O'16. No referral			MSCD 2711E System-broader System Street Street Street System Street Street Street Street Street Street Street Street Street Street Street Street Street Street	MACE SINGS Asserting up to					
Manager	O N O N O N O N O N O N O N O N O N O N	COVIS	100 xmix 35 xmix 55 xmix 55 xmix 772 xmix 772 xmix 115 xmix	1 1 21 21 21 21 21 21 21 21 21 21 21 21	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	FREC 7	N L		0	amend (Maria Maria					MDEO 10/16: System signed an ACD in April 20/16. They have installed a new well and disconnected the high well from service. This should be resolved by the end of O'16. No referral			MSEQ 2019; System-based NSEQ 2019; System-based Systems and System	MAED 1970 haddy yn br 1970 haddy yn br 1970 hadd yn hynnol ac yn					
Management	O N O N O N O N O N O N O N O N O N O N	COVIS	100 xmix 35 xmix 55 xmix 55 xmix 772 xmix 772 xmix 115 xmix	1 23 23 23 24 24 24 24 24 24 24 24 24 24 24 24 24	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	FREC 7	N	0.000	0	and					MDEO 10/16: System signed an ACD in April 20/16. They have installed a new well and disconnected the high well from service. This should be resolved by the end of O'16. No referral			ACC 2116 System house by this plant for the first of the state of the	MCC To the heading of the College of					

Marie   Mari	- I - I - I - I - I - I - I - I - I - I	Iren In I	In	Lucia I		No. of Contract of								T											
March   Marc	Stat PWSID PWS Name e	Score has HS	Type S	rvd tota	Priority Repeat Since Date Violator	Total Unresolve	On Path to S Compliance o	ichool Di	pe 90%	ALEs 5	Classificat Update	July 2017 ETT Quarterly Update	April 2017 ETT Quarterly Update	January 2017 ETT Quarterly Update	October 2016 ETT Quarterly Update	July 2016 ETT Quarterly Update	April 2016 ETT Quarterly Update	January 2016 ETT Quarterly Update	October 2015 ETT Quarterly Update	July 2015 ETT Quarterly Update	April 2015 ETT Quarterly Update	January 2015 ETT Quarterly Update	October 2014 ETT Quarterly Update	July 2014 ETT Quarterly Update	April 2014 ETT Quarterly Update
March   Marc	M M0005580 QUINCY	0 N	CWS	2040 <u>viols</u>	1	0	N	4 L			Current Course O														
March   Marc	M M0005585 FRANKLIN QUINCY WATER AUTHORIT	0 N	cws	260 <u>viols</u>	1		N	4 P			Current Score 0												1		
March   Marc	M M0005590 QUINNESEC	0 N	cws	1200 <u>viols</u>	6	0	N	4 L			Current Score ()														
March   Marc	M M0005607 RAPID REVER MEADOWS	0 N	CWS	28 ytols	10	0	N	4 P			Current Score 0														
March   Marc	M M0005610 RAVENNA	0 N	cws	1219 <u>stols</u>	1	0	N	4 L			Durrent Rosse ()														
Column	M M0005640 REDFORD TOWNSHIP	UN			1	0	N	4 L		0 0	Current Screen ()														
Column	M MODISESS REED CITY, CITY OF		CWS	2430 <u>viols</u>	- '	0	N N				Correct Correct														
Column	M MODERN BOOKERN	0 N	OWS	8517 viols			, n			0 0	Screen O														
Column	M M0005750 ROCKWOOD	0 N	cws	3289 viols	1		N	4 L	-	1	Score 0 Current														
Column	M M0005760 FRON RIVER TOWNSHIP-RYDEN ROAD	0 N	CWS	290 <u>viols</u>	5	0	N	4 L			Score 0 Current														
March   Marc	M M0005775 ROLLING MEADOWS WATER ASSN.	0 N	cws	76 yeals	1	0	N	4 P			Score 0 Current														
The second column	M M0005785 ROMULUS	0 N	cws :	23989 <u>viols</u>	1	0	N	4 L	0.	1 1	Score U Surrent														
Column	M M0005810 ROSCOMMON, VELAGE OF	0 N	cws	1075 <u>viols</u>	31	0	N	4 L			Current Score ()														
March   Marc	M M0005815 ROSECTY, CITY OF	0 N	cws	180 viols	2	0	N	4 L			Current Cross ()														
March   Marc	M M0005816 ROSE HLL CENTER	0 N	cws	70 viols	2	0	N	4 P			Current Score 0														
March   Marc	M M0005819 HDDEN SHORES WEST	0 N	cws	75 yeals	5	0	N	4 P			Current Score 0														
March   Marc	M MODELE POSEVELE OFF OF	0 N	ONS .	40125 <u>viols</u>	3		N N		0.000	× 0	Score 0						DE ECONO. DE consente final								
Column	III IIII III III III III III III III I		CHI	00 <u>901</u>	-		1 1	. [			Score 0						MDEQ refer this system to R5 for enforcement for its I part								
Column																	Consumer Notice violation. MDEQ 6/16: System RTC on								
West																	1/26/16.								
West	M M0005844 PLDYARD TOWNSHP	0 N	cws	250 yeals	1	0	N	4 L			Current Score 0														
West	M M000500 SALNE	0 N	cws	9158 <u>viols</u>	1		N N		0.0	20 0	Score 0														
West	M MODAGE SANDREACH TOWNSHIP	0.0	CWS	475 viols			N N	. [*		+	Server 0	1		ļ		l				l		1	1	ļ	1
The content of the	M M005500 SARANAC	p N	CWS	1296 wats							Correct	<b> </b>					<del>                                     </del>	<del>                                     </del>	<del>                                     </del>				<del> </del>		<b> </b>
The content of the	M M0005993 EROOKDALE APARTMENTS	0 N	CWS	100 viols	3		l N	( P	-	<del>-</del>	Cornent	1	<b> </b>	1	1	<b> </b>				<b> </b>	1	+	1	1	1
Section	M M0000000 SHELBY	0 N	cws	1898 <u>viols</u>	17		RTC N	4 L	-1-	1	Screen D. Current	1										1	1		1
Section	M M0006030 SHEPHERD, VILLAGE OF	0 N	cws	1515 <u>viols</u>	2		N	4 L		1	Screen D Current	1	1		1	1						1	1		1
Column	M M0006070 SHOREWOOD HILLS SUBDIVISION	0 N	cws	260 <u>viols</u>	,	0	N	4 P		1	Current Screen ()	1										1	1		1
Column	M M0006075 SKANDA-W BRANCH WATER DEPT	0 N	cws	275 <u>viols</u>	20	0	N	4 L			Current Score 0														
Column	M M0006080 SOUTH BLOOMFELD HIGHLANDS	0 N	cws	621 yiols	5	0	N	4 P			Current Cross ()														
Column	M M0006115 SOUTH POINTE I APARTMENTS	0 N	cws	32 viols	2	0	N	4 P			Current Cross ()														
Column	M MXXXXXIII SOUTH POINTE II APARTMENTS	0 N	CWS	32 viols	2	0	N	P			Current Screen 0														
Test	NO NACIONAL DE COMPANIO CONTRACTOR DE LA PARTMENTS	0 N	OWS	32 <u>viols</u>	2		N	P			correns Score 0	1	<b> </b>		1	<b> </b>				<b> </b>		1	1		1
Test	M M0006170 SOUTHEATF	O N	CWS	30047	2		N N	·	-1	0 ^	Screen D. Current	1										1	1		1
Mary	M M0006200 SPARTA	0 N	cws	4140 viols	6		l N	( L	-	0 0	Score 0 Current	-		1	1						1	+	1	1	-
Mary	M M0006210 SPAULDING TOWNSHIP	0 N	cws	2153 yigh	-		N	4 L	_	1	Score 0 Current														
Mary	M M0006232 SIFRING LAKE CLUB CONDOMINUMS	0 N	cws	87 yigh	15		N	4 P	0.0	51 4	Score 0 Current														
Mary	M M0006243 KINGSTON APARTMENTS	0 N	cws	50 viols	5	0	N	4 P		+	Current														
Mary	M M0000290 ST. CHARLES, VILLAGE OF	0 N	cws	2054 <u>viols</u>	2	0	N	4 L			Current														
Mary		0 N	cws	5485 <u>viols</u>	5	0	N	4 L	0.00	16 0	Current Current														
Mary	M M0006280 ST. CLAIR SHORES, CITY OF	0 N	CWS	59715 <u>viols</u>	1	0	N	4 L		0 0	Current Score 0														
Mary	M M0006282 ST. CLAR TOWNSHP	0 N	CWS	3270 <u>viols</u>	5	0	N	L			Current Score 0														
Mary	M M0006290 STIGNACE	0 N	CWS	2900 <u>viols</u>	10	0	N	4 L			Current Score 0														
Mary	M M0006300 ST. JOHNS, CITY OF	0 N	CWS	7900 <u>viols</u>	1	0	N	4 L		13 0	Score 0														
Ministry	M M0008320 ST. LOUIS, CITY OF	ON	cws	6976 yiols	,		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	'	0.0		Score 0						NS 5/2016: NS requests that MDEQ refer this system to RS								
Ministry																	Consumer Notice violation. MDEO 6/16: SystemBTC on								
Part																	2/17/16.								
Part	M M0006525 ST. LOUIS CENTER	0 N	cws	56 ytols	1	0	N	4 P			Current Scores ()														
Part	M M0006390 STANDER, CITY OF	0 N	CWS	1509 <u>viols</u>	1	0	N	4 L			Current Screen ()														
Marcon   M	ME MADDEST/ MCTPANET PUCKNIG	0 10	CWS	40 9015	13		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			6 1	Score 0			1/1/2015 Lead Consumer Nation violation has still not		was SCXed 7/22/16. No	MDEQ refer this system to R5 for enforcement for the Lead								
Marcon   M														been SCXId. MDEQ 3/10/17: The date wie		,	Consumer Notice violation. MDEQ 6/16: The Supply has								
Marcon   M														received the LCN was entered into the compliance			not RTC for this violation. MDEQ will make one last								
Marcon   M														scheduled activities, which closed the schedule. The			attempt to get the Consumer Notice, and will re-evalute								
Marcon   M														of the violation to SCX it.			nererring it not auccessitut.								
Property	M M0006385 STEPLING HEIGHTS, CITY OF	0 N	CWS 1	27000 <u>viols</u>	1	0	N	4 L		0 0	Current Cross 0			The rest new need cook											
Month   Mont	M M0008420 STOCKBRIDGE, VILLAGE OF	0 N	cws	1202 <u>viols</u>	5	0	N	4 L			Current Score 0						RS 5/2016: RS requests that MDEQ refer this system to RS								
Month   Mont										1			1			1	for enforcement for its Lead Consumer Notice and its			1		1			
Month   Mont									- 1	1			1			1	WYR triggered source water MR violations.			1		1			
Month   Mont									- 1	1			1			1	Pb PN on 2/26/16, and for CANR on 6/1/16			1		1			
Monter   M	M M0008440 STURGIS	0 N	cws	11920 <u>vtols</u>		0	N	4 L		16 0	Current Cross ()														
Monte   Mont	M M0006460 SUMPTER TOWNSHP	0 N	cws	9576 <u>viols</u>	- 1	0	N	4 L	0.0	01 0	Current Score 0														
MARCINES  PROPERTY   1	M MODISARY INDEED SHORE ADMINISTRATIVE M MODISARY INDEED SHORE ADMINISTRATIVE M MODISARY INDEED SHORE ADMINISTRATIVE M M M M M M M M M M M M M M M M M M M	0 N	CWS	64 <u>viols</u>	5	0	N	, P		1	Corners Scores ()	1					1	1	1			1	1		1
MARCINES  PROPERTY   1	M M000502 SWAN CREEK TOWNSHP	0 N	CWS	2390 viol-			N N		-	+	Score 0 Current	<b> </b>					<del>                                     </del>	<del>                                     </del>	<del>                                     </del>				<del> </del>		<b> </b>
MARCINES  PROPERTY   1	M M0006537 TANNERY CREEK CONDOMNUM	0 N	cws	90 viols	2		l N	( P	-1	+	Score 0 Current	1	<b> </b>	1	1	<b> </b>				<b> </b>	1	+	1	1	1
MARCINES  PROPERTY   1	M M0006545 TAYLOR	0 N	cws	63131 <u>viols</u>	2		N	4 L	0.00	94 0	Score 0 Current	1										1	1		1
## MORROR   MINING		0 N	CWS	48 viols	11	0	N	e P	_	1	Current						<b> </b>	<b> </b>	<b> </b>			1	1		
Marcons   Marc	M M0006600 THREE CAKS	0 N	CWS	1622 <u>viols</u>	21	0	N	4 L			Current Current	1											1		1
Management   Man	M M0006650 TRENTON	0 N	CWS	18853 viols	6		N	4 L	0.00	13 0	Current Score ()												I		
Management   Man	M M0006690 TROY	0 N	CWS	80980 <u>viols</u>	١.	0	N	4 L		0 0	Current Score 0														
Management   Man	M M0006696 TWN LAKES SUBDIVISION	0 N	cws	563 <u>viols</u>	1	0	N	4 P			Current Score 0														
Management   Man	M MXXXXXX V F W NATIONAL HOME	0 N	CWS	150 yigh	11	0	N	P	0.	12 1	Surrent Score 0		RS 5/2017: RS requests that MDEQ refer this system to RS	1	MDEQ 01/17: This requires additional research - we will	l	NS 5/2016: RS requests that MDEQ refer this system to RS			l		1	1		
# MORROR   MARIAN ARBONTON   C   N   OS   72   222   23   24   C   N   P   Osmod   Osm									- 1	1			2 THMHAA5 MR violations. MRO 6/17 The resets		provide appearal information at a later time.	1	Consumer Notice and Stage 2 TTHEASHS AN AMPLIANCE			1		1			
# MORROR   MARIAN ARBONTON   C   N   OS   72   222   23   24   C   N   P   Osmod   Osm										1			returned to compliance 6/13/17 No referred				MDEQ 6/16: System RTC FOR th IN on 3/4/16. The:		1						
# MORROR   MARIAN ARBONTON   C   N   OS   72   222   23   24   C   N   P   Osmod   Osm									- 1	1			requested.			1	cannot RTC for Stage 2 until June 2016. No referral			1		1			
# MORROR   MARIAN ARBONTON   C   N   OS   72   222   23   24   C   N   P   Osmod   Osm																	requested at this time.					1			
MADDING   MADDING   CAN   CA	M M0006803 VILLA NOUVA ASSOCIATION	0 N	CWS	72 years	6	0	N	4 P			Current Score 0												ļ		
MADDING   MADDING   CAN   CA	M MODRES WALLED	ON	CWS	#010 viols	2		N.		0.0	0	Score 0	1	<b> </b>		1	<b> </b>				<b> </b>		1	1		1
MARION   M	M MODERN WALNUT LANS ADMITMENTS	0.0	CWS	50 vol	1 1		N N			1 .	Score 0	1		ļ		l				l		1	1	ļ	1
MADDITECT   METALE   MADDITECT   METALE   META	NA MANAGEMENT TOWNSHIPS		CWS	575	10				-	+	Score 0 Current	<b> </b>					<del>                                     </del>	<del>                                     </del>	<del>                                     </del>				<del> </del>		<b> </b>
Majoring	M M0008971 WEDGEWOOD GOLFSDE CONDO ARROY	0 N	cws	125 viols			N N	4 0	-		Current	-		1	1						1	+	-	1	-
MINISTRUCT AND MINI	M M0007015 WEST COURT RANCHES		cws	218 <u>viol</u> s	6		N	( P	-	+	Sonne 0 Current	1					1	1	1			1	1		1
MINISTRUM NETHERAL VILLAGES	M M0007035 WESTBROOK APARTMENTS	0 N	cws	330 viols	5		N	4 P	_	+	Current	<b>†</b>		1			<b> </b>	<b> </b>	<b> </b>			1	<b>†</b>	1	<b>†</b>
MADDITION   MATERIAL COLUMN   MADDITION   MATERIAL COLUMN   MADDITION   MADITION   MADDITION   MADDI	M M0007050 WESTPHALIA, VILLAGE OF	0 N	CWS	925 <u>viols</u>	1	0	N	4 L	_	1	Current	l											l		l
To referencement for tax used Government for tax used Government for tax used Host of State and Float HOST OF State Annual Float	M M0007080 WHITE CLOUD	0 N	cws	1408 <u>wols</u>	9	0	N	4 L		1	Current Screen ()	1					RS 5/2016: RS requests that MDRO refer this system to the					1	1		1
Coloren Mil Vasidation.  ALEO DE 19 Septimen MCC (CN) By Non (1501 a. a. ell'C to "S' William Assista")									- 1	1	· 1		1			1	for enforcement for its Lead Consumer Notice and Total			1		1			
In Non COST, and ICC for STREAM COST									- 1	1			1			1	Colform MR violations. MDEQ 6/16: System RTC FOR			1		1			
						l				1		1	l	1	1	l	Pb PN on 1/25/16, and RTC for TC MR on 15/16					1	1		1

ocat PWGIU PWS Name	ETT Sys PV	S Pop Viols	Priority Repeat T	otal On Path	o School	Owner Last Le	ad Num Lead	TT Score October 2817 ETT Quarterly	July 2017 ETT Quarterly Update	April 2017 ETT Quarterly Update	January 2017 ETT Quarterly	October 2016 ETT Quarterly Update	July 2016 ETT Quarterly	April 2016 ETT Quarterly	January 2016 ETT Quarterly Update	October 2015 ETT Quarterly Update	July 2015 ETT Quarterly Update	April 2015 ETT Quarterly Update	January 2015 ETT Quarterly Update	October 2014 ETT Quarterly Update	July 2014 ETT Quarterly	April 2014 ETT Quarterly Update
Stat PWSID PWS Name	Score has HB Ty	se Srvd	Since Date Violator U	bresolve Complia	nce or Children	Type 90%	ALEs 5		Update	Update	Update	Update	Update	Update	Update	Update	Update	Update	Update	Update	Update	Update
	O N CV	S 20 <u>viols</u> S 6000 <u>viols</u>	2	0	N	Р	$oldsymbol{oldsymbol{oldsymbol{\square}}}$	Autrent Score 0 Score			ļ											
M M0007065 WHITE LAKE TOWNSHIP	0 N C/	8 6000 <u>viols</u>	1	0	N	L 0.0	06 0	Current Icore 0														
M MODOZON T.I WHEE PROCESS	0 N CV	\$ 6000 <u>xiols</u> \$ 1640 <u>xiols</u> \$ 32 <u>xiols</u> \$ 30 <u>xiols</u>	20	0	N	P.	+	core 0	1													
M MODITION WHITTHATHE STEMPS ADAPTMENTS	0 N O	S 30 state	19	o erro	N N	P	+	icore 0				MDEC 01/17: The supply										
M M0001704 T.I. WHITE PINE MANOR APARTMENTS M M0001704 WHITE PINE MANOR APARTMENTS M M00017134 WISHER AREA WATER SYSTEM	ON O	201						Score 0				MDEQ 01/17: The supply returned to compliance on 2/26/16										
M M0007134 WENER AREA WATER SYSTEM  M M0007160 WOODBNE SUBDIVISION	O N CV	S 433 xiola S 448 xiola S 12875 xiola	1	0	N	L		Arrent Score 0 Arrent Score 0 Arrent														
M M0007180 WOODHAVEN M M0007180 WOODHAVEN	O N CV	5 448 <u>viols</u>	1	0	N	,	0 0	Core 0														
M M0007182 WOODLAND PARK APARTMENTS	O N CV	5 128/5 <u>viols</u>		0	N N		0 0	Cornell Cornell Cornell Cornell														
M M0007233 DLBWLD GARDEN HOUSING	0 N CV		12		N N	P																
M M0007233 DLBWLD GARDEN HOUSING M M0007235 YODER AIRARTMENTS	0 N CV	S 90 viols S 92400 viols	7	0	N	p		Corner D Cornert Corner D														
M M0007290 YPSLANTI COMMUNITY UTLITY AUTHOR M M0007270 ZEELAND BOARD OF PUBLIC WORKS	RETY 0 N CV	S 92400 <u>viols</u>	1	0	N	L 0.001	44 0	Current														
M M0007270 ZEELAND BOARD OF PUBLIC WORKS	0 N CV	S 92400 <u>viols</u> S 7921 <u>viols</u>	1	0	N	L	0 0	Current Screen 0 Current Score 0														
M M0040001 LINCOLN ESTATES M M0040004 COUNTRY MEADOWS	0 N CV	S 48 <u>viols</u>	7	0	N	Р		core 0 current														
M M0040004 COUNTRY MEADOWS	0 N CV	S 158 <u>viols</u>	2	0	N	р		Current Icore 0 Current Icore 0														
M M0040007 TOPAZ MOBILE HOME PARK M M0040013 SAPHIFE ESTATES MOBILE HOME PARK	0 N CV	S 115 <u>stols</u>	1	0	N	Р		Current Icone ()														
M M0040013 SAPHIRE ESTATES MOBILE HOME PARK	O N CV	S 138 <u>viols</u>	2	0	N	P		Current Current Current Current														
M M0040023 RIVERVIEW MOBILE HOME PARK	0 N CV	8 125 years 8 130 years 8 235 years 8 152 years 8 152 years	1	0	N	Р		Azerent														
M M0040025 SHADY ACRES MOBILE VILLAGE	0 N CV	S 130 <u>viols</u>	1	0	N	Р		Current Income ()														
M M0040028 VILLAGE BAST ESTATES M M0040029 GUN RIVER ESTATES WEST	0 N CV	S 235 <u>stols</u>	10	0	N	Р		Current Income ()														
M M0040039 GUN RIVERSIDE ESTATES WEST	O N CV	S 152 <u>stols</u> S 100 <u>stols</u>	5	0	N	P		Current Score 0														
		5 100 <u>stols</u>	20	o RIC	N	P		Current Score 0											MDBQ 3/2015: Water supply returned to compliance in			
M M0040034 LAKESHOPE ESTATES M-P	0 N CV	S 115 <u>viols</u>	1	0	N	Р		Current Conso O											Province Allia			
M00400M   LANSSHORE ESTATES MeP	0 N CV	S 53 <u>viols</u>	8	0	N	Р		Current Score 0														
M M0040042 BARRY'S RESORT	O N CV	\$ 115 <u>viols</u> \$ 53 <u>viols</u> \$ 125 <u>viols</u> \$ 100 <u>viols</u> \$ 79 <u>viols</u>	6	0	N	P		current Icone 0 Current Icone 0	1		L											
M M0040046 GUERNSEY LAKE MOBILE HONE COMMU	NITY 0 N CV	S 100 <u>viols</u>	1	0	N	Р		Current Icone 0														
M M0040051 BLENA VISTA ESTATES	0 N CV	S 79 years	7	0	N	Р		Current Icone 0 Current Irrone ()														
M M0040000 COUNTRY ACRES M M0040001 MEADOW STREAMS ESTATES	O N CV	S 160 <u>viols</u>	5	0	N	P	$\perp$	Current Conne () Current Conne ()			ļ											
M MANAGET MEADOW STREAMS ESTATES	O N CV	o 293 <u>viols</u>	3	0	N	P	$\perp$	orrens Irrore 0	1												1	
M M0040062 PAW PAW LAKE MH PARK M M0040067 ONTARO PLACE	0 N CV	S 122 <u>viols</u> S 248 <u>viols</u>	10	0	N N	P	+	Icone 0	1	<del>                                     </del>	<del> </del>			<del>                                     </del>				<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>
M M004009 GRAND VILLAGE MOBILE HOW PARK	O N CV	- 240 <u>xials</u> S 50 v-1-	15	0	N N	P	+	Cornert	+		-	1									-	
M M0040093 GRAND VILLAGE MOBILE HOME PARK M M0040075 LAKECREST MOBILE COURT	O N CV		15	0	N	p	+	Carrenti Coron D  Arrenti Coron D	1		1	1		-				-			1	
M M0040086 PHOENK MOBILE HOME COURT		S 82 years	1		N	p	+	Core 0 Current	+		1	1	<b> </b>		<b> </b>	<b> </b>	<b> </b>			<b> </b>	1	
M M0040085 PHOENX MOBILE HOME COURT M M0040094 COLONAL ACRES	0 N CV	S 265 yiels	5	0	N	Р	+-	Arrent Screen D Arrent Screen D Arrent Arrent Coren D Arrent Coren D Arrent Coren D Arrent Coren D Arrent	1		1										l	
M M0040100 MARLIN VILLAGE MOBILE HOME PARK	0 N CV	S 95 yigh	<del>     </del>	0	N	Р	+	Current	1	<b> </b>	<b>†</b>			<b> </b>				<b> </b>	<b> </b>		<del>                                     </del>	<b> </b>
M M0040103 EAGLE LAKE ESTATES M-P	0 N CV	S 230 viols	6	0	N	P		Current														
M M0040119 CREEKSIDE MEADOWS OF ST. JOHNS	0 N CV	S 387 viols	2	0	N	P		Cornent Cornent Corne 0	RS 8/2017: RS requests that													
								icone o	PS 8/2017: PS requests that MDEC refer system to PS for enforcement of its longistanding Stage 2 TRHM and HAAS MR violations. MDEC 9/2017: Supply returned to compliance 6/2/117. No referral somewhat													
M MONADIZI TRAFFREY VELLACE MAP	a N O	S 58 viols	2	2	N	P		arment	recuested.													
M M0040121 TMBEPLY VILLAGE MIP M M0040122 H-WAY MOBILE HAVEN	0 N C/	S 58 <u>xiols</u> S 168 <u>xiols</u>	1	-	N N	P	+	Current Current Current	+		-	1									-	
M M0040123 MAPLE KNOLL	0 N CV	S 125 yiels	16	0	N	Р	+-	icore 0 Current Icore 0	1		1										l	
M M0040123 MAPLE KNOLL M M0040125 CHALET ESTATES MOBILE HOME PARK	0 N CV	S 100 yiels	10	0	N	p		Core 0 Current Core 0	1	<b> </b>	1			<b> </b>				<b> </b>	<b> </b>		1	<b> </b>
M M0040126 CONWAY COMMONS MOBILE HOME PAR	K ON CV	S 128 yiels	7	0	N	Р		Current Current			l											
M M0040128 BAY SHORE ESTATES	0 N CV	S 208 <u>viols</u>		0	N	Р		Current Irrore 0			1											
M M0040131 TRACEWNOS MOBILE HOME PARK	O N CV	S 54 <u>viols</u>	1	0	N	P		Current Screen 0  Current Current Current Current Current Current Current						P5 5/2016: P5 requests that MDEQ refer this system to P5 for enforcement for its Lead Consumer Notice violation. MDEQ 6/16: System PTC on 5/3/16.								
M M0040138 CUNTHER MOBILE HOME COURT INC	0 N CV	S 105 viols	1	0	N	P		Current Icone 0						5/3/16. R5 5/2016: R5 requests that MDEQ refer this system to R5 for enforcement for its Lead Consumer Notice violation. MDEG 6/16: SystemRTC on 3/4/16.								
		$\perp \perp \perp$									<u> </u>	<u> </u>		3/4/16.								
M M0040152 MONTROSE TRALER PARK M M0040154 NORTH DORT MANOR LTD	0 N CV	S 105 <u>viols</u> S 100 <u>viols</u>	1	0	N	Р		Current Irrore 0														
M M0040154 NORTH DORT MANOR LTD M M0040155 NORTH MORRIS ESTATES	0 N CV	S 100 <u>viols</u> S 380 viols	17	0	N	P	$\bot$	Current Lorent O Current Curre														
M MODALINE OF DORSESSION OF THE			5	0	N N	P	+	cores	1	-				-				-	-		1	-
M M0040156 CLD ORCHARD ESTATES M M0040162 WESTHAVEN MOBILE HOME PARK, LLC	0 N C/	S 122	1 2	0	N N	P	+	Cornert	+		-	1									-	
M M0040166 KEY COURT MOBILE HOME PARK	0 N CV	S 55 viols	8	0	N	p	+	Core 0 Current Core 0	+		1	1	<b> </b>		<b> </b>	<b> </b>	<b> </b>			<b> </b>	1	
M M0040172 MEADOWLANE MOBILE HOME PARK	O N CV	S 766 <u>viols</u>	<del>     </del>	0	N	Р	+	core 0 current	1	<b> </b>	<b>†</b>			<b> </b>				<b> </b>	<b> </b>		<del>                                     </del>	<b> </b>
M M0040172 MEADOWLANE MOBILE HOME PARK M M0040174 CHERRYLAND MOBILE HOME PARK	0 N CV	S 766 xiols S 40 xiols S 105 xiols	1	0	N	р	+	Current Icore 0 Current Icore 0	1		1		1			1				1		
M M0040180 HILISIDE ACRES	O N CV	S 105 viols	20	0	N	P		Arrent Score 0											PS 2/2015: Please provide update since MEEQ's last update of 4/2014: "Water supply was granted an ACO accleration. Start of installation extended to May 2014."  MDEQ 3/2015: Water supply			
																			returned to compliance in			
AS MANAGES DE DAYS AND STREET																			MDEQ 3/2015: Water supply returned to compliance in October 2014. Note current ETT access of 0			
M M0040183 PILEY'S MOBILE HOME PARK	0 N C/	S 70 state	10	0	N	P		Current I											returned to compliance in October 2014. Note current ETT wome of 0			
MADD49183 PRLEY'S MOBILEHOME PANK     MADD49184 SOMEPSET CENTER     MADD49184 SOMEPSET CENTER     MADD49187 SUMMER WORD PRITATIVE	0 N C/	S 70 <u>viols</u> S 368 <u>viols</u> S 170 viols	10	0	N N	P P		Current Corre 0 Corrent Current Current											refurned to compliance in October 2014. Note current ETT some of 0			
M MODADIES PREP'S MOBEEHOMEPARK M MODADISH SOMETECT CONTRY M MODADISH SAMERE WOOD DETAILS M MODADIST CARRESTON MOTIVE COURT	0 N CV	S 170 <u>viols</u>		0	N N N	P P		Current Goore 0  Current Grove 0  Current Grove 0  Current Grove 0  Current											returned to compliance in October 2014. Note current. ETT access of ft.			
M M0040151 PRLEY'S MOBILE HOME PAUN. M M0040164 SCARPGET CONTER M M0040167 SLAMER WOOD IST N.TES M M0040191 CLARRISCONVERVEW COURT M M0040191 M0001807 M000 M0000000	O N CV	S 170 <u>viols</u>		0	N N N	P P P		Current Current											returned to complained in October 2014. Note current 977 scores of th			
M M0040197 MASON MANOR	0 N C/	S 170 <u>viols</u>		0	N N N N	P P P P		Current Current											returned to complance in October 2014. Note current ETT score of 0.			
MI         MID040197         MASON MANOR           MI         MID040200         SUNSET MOBILE HOME PARK           MI         MID040200         EVERGREEN MOBILE HOME COMMUNITY	0 N CV 0 N CV 0 N CV 0 N CV	S 170 <u>viols</u>		0	N N N N	P P P P P		Current Current											returned to complance in October 2014. Note current ETT access of 0.			
MI         M0040197         MASON MANOR           MI         M0040200         SURRET MOBILE HOME PARK           MI         M0040205         BYERGREEN MOBILE HOME COMMUNITY           MI         M0040208         HIDDEN VALLEY	0 N C/	S 170 <u>viols</u>		0	N N N N N	P P P P P P P		Current Current											nuhmed to compliance in Chiches 2014. Note current FTT scores of ft			
MI         M0040197         MASON MANOR           MI         M0040200         SURRET MOBILE HOME PARK           MI         M0040205         BYERGREEN MOBILE HOME COMMUNITY           MI         M0040208         HIDDEN VALLEY	0 N C/	S 170 <u>viols</u>		0	N N N N N N N N N N N N N N N N N N N	P P P P P P P P P P P P P P P P P P P		Current Current											milarset to compliance in October 2014. Note current ETX access of A. Note current ETX access of A.			
M         M0040197         MS-SON MARCER           M         M0040200         SURRET MOBILE HOME FAMILY           M         M0040208         EVEROPREN MOBILE HOME COMMANTY           M         M0040208         HOEDEN VALLEY           M         M0040208         ALEXANDERS MOBILE VILLAGE           M         M0040205         COACHMANS COVE	0 N C/V	\$ 170 viols \$ 90 viols \$ 90 viols \$ 630 viols \$ 88 viols \$ 272 viols \$ 125 viols \$ 90 viols		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N	P P P P P P P P P P P P P P P P		Current Current											nutraried to compliance in October 2014. Note current ETY access of it.			
MacConstance   MacConstance	0 N C/V	\$ 170 viols \$ 90 viols \$ 90 viols \$ 630 viols \$ 88 viols \$ 272 viols \$ 125 viols \$ 90 viols		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N	P P P P P P P P P P P P P P P P P P P		Current Current											netured to compliance in October 2014. Note current ETT seets of 8.			
MISSION PROJECT         MISSION MARKET           MISSION PROJECT MICE.         MISSION PROFESSION MISSION PROJECT MARKET           MISSION PROJECT         MISSION PROJECT	0 N OV	\$ 170 seels \$ 90 seels \$ 90 seels \$ 88 seels \$ 272 seels \$ 125 seels \$ 90 seels \$ 125 seels \$ 100 seels \$ 100 seels \$ 100 seels	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N	P P P P P P P P P P P P P P P P P P P		Tarreet  Account of the Control of t											related to complexe is a Coulomb 2714. Note convert 277 screen of a			
Macronary           Macronary <td< td=""><td>0 N OV /td><td>\$ 170 seels \$ 90 seels \$ 90 seels \$ 88 seels \$ 272 seels \$ 125 seels \$ 90 seels \$ 125 seels \$ 100 seels \$ 100 seels \$ 100 seels</td><td>1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1</td><td>0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0</td><td>N N N N N N N N</td><td>P P P P P P P P P P P P P P P P P P P</td><td></td><td>Arrend  Arrend  Arrend</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>nelamed to compleme in Contine 2014. Note convert Efficiency of the Contine of the Contine of the Contine of the Contine of the Contine of the Contine of the Contine of the Contine of the Contine of the Contine of the Con</td><td></td><td></td><td></td></td<>	0 N OV	\$ 170 seels \$ 90 seels \$ 90 seels \$ 88 seels \$ 272 seels \$ 125 seels \$ 90 seels \$ 125 seels \$ 100 seels \$ 100 seels \$ 100 seels	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N	P P P P P P P P P P P P P P P P P P P		Arrend										nelamed to compleme in Contine 2014. Note convert Efficiency of the Contine of the Contine of the Contine of the Contine of the Contine of the Contine of the Contine of the Contine of the Contine of the Contine of the Con				
Macronary           Macronary <td< td=""><td>0 N OV /td><td>\$ 170 seels \$ 90 seels \$ 90 seels \$ 88 seels \$ 272 seels \$ 125 seels \$ 90 seels \$ 125 seels \$ 100 seels \$ 100 seels \$ 100 seels</td><td>1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1</td><td>0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0</td><td>N N N N N N N N N N N N N N N N N N N</td><td>P P P P P P P P P P P P P P P P P P P</td><td></td><td>Arrend  Arrend  Arrend</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>indumed to compleme in College 21th A. Male country College 21th A. Male co</td><td></td><td></td><td></td></td<>	0 N OV	\$ 170 seels \$ 90 seels \$ 90 seels \$ 88 seels \$ 272 seels \$ 125 seels \$ 90 seels \$ 125 seels \$ 100 seels \$ 100 seels \$ 100 seels	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N	P P P P P P P P P P P P P P P P P P P		Arrend										indumed to compleme in College 21th A. Male country College 21th A. Male co				
MARCHISTON   MICKENANCE	0 N OV	\$ 170 seels \$ 90 seels \$ 90 seels \$ 88 seels \$ 272 seels \$ 125 seels \$ 90 seels \$ 125 seels \$ 100 seels \$ 100 seels \$ 100 seels	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N	P P P P P P P P P P P P P P P P P P P		Arrend										nelamed compleme in Colder 2014. Note commet Colder 2014. Note commet				
MEDICAL   MACCIONALACE	0 N ON O	\$ 170 weels \$ 90 weels \$ 90 weels \$ 95 277 weels \$ 125 weels \$ 125 weels \$ 90 weels \$ 100	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	P4 P	P P P P P P P P P P P P P P P P P P P		Arrend										instanted completion in a completion of the comp				
MODEST   MACHINACH	0   N   0     0   N   0	\$ 170 weels \$ 90 weels \$ 90 weels \$ 90 weels \$ 100 meels \$ 100 meels \$ 100 weels \$ 100 wee	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N	P P P P P P P P P P P P P P P P P P P		Arrend										indumed to compleme is a CHT account of the Charlest CHT account of the CHT account CHT account of the CHT account CHT br>CHT account CHT account CHT account CHT account CHT account CHT account CHT account CHT account CHT account CHT account				
MARCH   MACHINACH	0   N   0   0     0   N   0   0     0   N   0   0     0   N   0	\$ 170 weeks \$ 90 wint \$ 127 wint \$ 12	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	P4 P	P P P P P P P P P P P P P P P P P P P		Armed Carriers Carrie											indument to compleme in a complement of the co			
MODEST   MODESTANDER	0   N   C)	\$ 170 weeks \$ 170 weeks \$ 90 weeks \$ 600 min \$ 180 min \$ 170 min \$	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	No. 100 100 100 100 100 100 100 100 100 10	P P P P P P P P P P P P P P P P P P P		Contract Con											indumed to compleme in a Marin control of the Complement of			
MORPHY MACHINACH	0   N   C)	\$ 170 weeks \$ 170 weeks \$ 90 weeks \$ 600 min \$ 180 min \$ 170 min \$	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	No. 194 194 194 194 194 194 194 194 194 194	P P P P P P P P P P P P P P P P P P P		Contract Con											indument to compleme to a compleme to a compleme to a complement of the comp			
MODEST   MODESTA CONTROLOGY	0   N   C)	\$ 170 weeks \$ 170 weeks \$ 90 weeks \$ 600 min \$ 180 min \$ 170 min \$	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	No. 100 100 100 100 100 100 100 100 100 10			Contract Con											indument to compleme to a compleme to a complement of the compleme			
MINISTER ADMINISTRATION AND	0   N   C)	\$ 170 weeks \$ 170 weeks \$ 90 weeks \$ 600 min \$ 180 min \$ 170 min \$	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N			Contract Con											Admired to complexes in a contract of the cont			SECS Al Vidinos selvered au constante
MISSING   MISSING MI	0   N   C)	\$ 170 weeks \$ 170 weeks \$ 90 weeks \$ 600 min \$ 180 min \$ 170 min \$	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N			related by the second of the s											Advantage to employee in a control of the control o			650. At visition natured
MORPHY MACHINACH	0   N   0   0     0   N   0   0     0   N   0   0     0   N   0	\$ 170 weeks \$ 170 weeks \$ 90 weeks \$ 600 min \$ 180 min \$ 170 min \$	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N			Contract Con											advanta to caption in a contract of the caption in a capt			MSD At whiten shared a sandara

Stat PWSID	PWS Name	ETT Sys	PWS 6 Type	Pop Viols Sryd	Priority Since Date	Repeat Total	al On	Path to School moliance or	Owner Last Lead N	Num Lead ET	T Score C	ciober 2017 ETT Quarterly July 2017 ETT Quarterly Update	April 2017 ETT Quarterly Update	January 2017 ETT Quarterly Update	October 2016 ETT Quarterly Update	July 2016 ETT Quarterly Update	April 2016 ETT Quarterly Update	January 2016 ETT Quarterly Update	October 2015 ETT Quarter Update	y July 2015 ETT Quarterly Update	April 2015 ETT Quarterly Update	January 2015 ETT Quarterly Update	October 2014 ETT Quarterly Update	July 2014 ETT Quarterly Update	April 2014 ETT Quarterly Update
M M0040310	ROBIN HOOD MOBILE COURT	0 N	CWS	63 <u>xfols</u>		Tee! d Be	0	N	P C	Cur	rrent		+												
M M0040313	SLINGET MOBILE HOME PAUK	0 N	OWS	143 <u>xiols</u>		8	a	N	P	Ser Cur Ser	one 0 zrent cone 0	College 2817 ETT Quantumy Ally 2917 ETT Quantum Update  Opdate  TT Quantum Update  Opdate  Opd			PG 11/2016: PG recognitis that MEED refer this system to PG for enforcement for its 20A/2015 Finitive to Address CMW deficiency and 11/24/2015 Finitive to Address CMW deficiency and 11/24/2015 Finitive to Newpood Community with State Newpood Community with State Newpood Community with State Newpood Community with the new or new confining with the new own rest to sign an ACO, and resolves all the oddstanding lists uses left from this previous own res.										
M M0040318	FARLAWN MEADOWS SELVER LAKE MOBILE HOME PARK STARLIGHT MOBILE HOME PARK	0 N	cws	120 <u>stols</u>		5	0	N	P	Cur	rrent core 0				nomine previous owner.										
M M0040322	SEVER LAKE MOBILE HOME PARK	0 N	CWS	68 <u>viols</u> 79 <u>viols</u>		5	0	N	P	Cur Scr	rrent core 0														
M M0040325	UNIVERSITY MOBILE ESTATES #2	0 N	cws	138 <u>viols</u> 268 <u>viols</u>		8	0	N N	P	Ser Cur	zrent core 0 zrent core 0 zrent core 0 zrent														
M M0040330	WASHINGTON M-P	0 N	CWS	268 viols		2	0	N	P	Cur Re-	rrent														
M M0040342	HERITAGE HELS MOBLE HOME VELAGE HENTERS CREEK ESTATES	0 N	CWS	75 viols 125 viols 200 viols 263 viols		10	o Perc	n C N	P	Re-	rrent				+					-					
M M0040343	HAVEN VIEW MOBILE COURT WHISPERING PINES HOUSING COMMUNITY	0 N	cws	200 <u>viols</u>		1	0	N	Р	Cur Scr	rrent core 0														
M M0040352	CREENERER ESTATES	0 N	cws	142 <u>viols</u>		6	0	N N	P	Ser Cur	arrent core 0 arrent core 0 arrent core 0 arrent core 0 arrent				-										
M M0040355	APPLE CARR VILLAGE ARENGTON WOODS	0 N	cws	1322 <u>stols</u>		2	0	N	Р	Cur Scr	rrent core 0														
M M0040356	EDGEWOOD TRALER PARK	0 N	CWS	263 xois 142 xois 1322 xois 1650 xois		5	0	N N	P	Cur Cur	rrent				-										
M M0040368	EDGEWOOD TRALER PARK LAKE FOREST PARK	0 N	cws	185 <u>viols</u>		11	6	N	р	Cus Rev	rrent rrent rrent														
M M0040370 M M0040376	HESS LAKE RV AND MOBILE HOME PARK OHLDS LAKE ESTATES MHC	0 N	cws	1548 <u>viols</u>		3	0	N N	P	Cur Cur	rrent rose 0 rrent				-										
M M0040384	GROVELAND MANOR HIGHLAND GREENS ESTATES	0 N	cws	465 <u>stols</u>		1	6	N	р	Ser Cur Ser	ore 0 rrent ore 0														
M M0040387	OAK HILL ESTATES MHC	0 N	cws	2268 <u>stols</u> 1260 <u>stols</u>		1	0	N N	P	Cur Scr Cur	rrent core 0 rrent														
M M0040397	SPRINGROVEMHC	0 N	cws	1060 <u>viols</u>			0	N	P	Ser Cur Rrs	rent xrent														
M M0040399 M M0040404	ORION LAKE ESTATES MHC WOODLANDS ESTATES MHC	0 N	cws	1058 viols 650 viols		- 1	0	N N	P	Cus Rrs Cus	arrent arrent arrent arrent arrent														
M M0040410	TWIN PINES MOBILE HOME PARK	0 N	cws	1060 xiols 1060 xiols 1058 xiols 650 xiols		5	0	N	P	See Cur See	rrent														
MI M0040414	NOTTINGHAM POPEST MHP	ON	CWS	185 yigis		2	0	N	P	Cur Ser	arrent core 0								RS 11/2015: RS requests 8 MDEQ refer system to RS 1 enforcement of Lead Consumer Notice requirements. MDEQ-01/11 Violation SOXed November 2016. But November 2016.	and or					
M M0040416	SUNSET ESTATES GAYLORD  GRAND COUNTRY	0 N	cws	50 yiola		7	0	N	p	Cua	rrent								2015 No referral necessar	n.					
M M0040425	CRICKLEWOOD COURT	0 N	cws	50 <u>xiols</u> 130 <u>xiols</u> 155 <u>xiols</u> 268 <u>xiols</u>		15	0	N N	P	Cur Scr Cur	arrent core 0														
M M0040426	TALLMADGE MEADOWS	0 N	cws	268 <u>stols</u>		1	0	N	P	Ser Cur Ser	one 0 arrent core 0														
M M0040443	STODDARD MOBILE HOME COURT LAKEVIEW ESTATES	0 N	cws	313 <u>viols</u> 408 <u>viols</u>		12	0	N N	P	Cur Re-	rrent rrent rrent														
M M0040452	MOONLAKE ESTATES	0 N	CWS	105 viols		26	o serc	C N	P	See Car See	rrent core 0						PS 5/2016: R5 requests that MDEO refer this system to R5 for enforcement for its Lead Consumer Notice and Anseric MR violations. MDEO 6/16: SystemRTC for Pb CN on 4/4/16, and for Anseric m 11/10/15.								
M M0040453	NORTHWOODS COMMUNITY	0 Y	ONS	238 viols		35	35 On 1	Path N	P	Cur Ser	arrent core 0			MDEQ 3/10/17: The supply has a contractor and is moving forw and with installation of treatment. They are regionating an extension to the 3/3/1/17 deadline in the ACO.	PC 11/2016: PC requests that MEEO refer this system to PC for enforcement for its unaddressed Arsenic MCL violations. MEEO 01/17: The supply has signed an ACO, and its installing an examic treatment system. They have a deadline to have the installation done by 3/31/17. No referral requested at this time.		AND THE STORY								
M M0040455	WOODS AND FELDS COMMUNITIES WEST QUET COVE TRALER PARK	0 N	CWS	185 <u>viols</u>		2	0	N N	P	Cus Re-	rrent rose 0														
M M0040457	COUNTRY MANOR  ALANS PARK - DURAND	0 N	cws	70 viols 70 viols 87 viols 50 viols		2	0	N	p	See Cut See	arrent arrent arrent arrent														
M M0040458	ALANS PARK - DURAND HOXORY LANEAGRE FROME DARK	0 N 0 N	cws	50 <u>viols</u> 50 <u>viols</u>		16	0	N N	P	Cur Scr	rrent core 0														
M M0040476	HOXORY LANE MOBILE HOME PARK GOLDEN FOND ESTATES	0 N	cws	102 yiels		-	0	N	P	Sci Cur Sci	rrent core 0 rrent core 0														
M M0040477	WASHBURN LAKE VILLAGE MAP PINE CREST MOBILE HOME PAPK	0 N	cws	108 <u>viols</u> 208 <u>viols</u>		36	o erc	C N	P 0.024	1 Cur Scr	arrent core 0 arrent														MDEQ: All violations returned to compliance
M M0040495	RUSH LAKE MHYCAMPGROUND	0 N	cws	50 viols		11	0	N	P	Rev Cus	rrent														
M M0040498	SHADY BROOK MOBILE HOME PARK	0 N	CWS CWS	50 yeals		1 12	0	N N	P	Cua Sera	arrent														
M M0040498	THREE MLE LAKE TRALER PARK VIKING REVER MOBILE HOME PARK	0 N	cws	112 <u>viols</u> 55 <u>viols</u>		1	0	N N	p	See Cur P	arrent arrent core 0											<del>                                     </del>			
M M0040501	WOLF LAKE MOBILE HOME PARK RIVERSBEND MOBILE HOME PARK	0 N	CWS	99 <u>viols</u>		5	0	N N	P	Cur Scr	arent core 0 arent														
M M0040516	WHITE BROHMOBLE HOME VILLAGE	0 N	cws	250 <u>xiols</u> 50 <u>xiols</u>		1	0	N	P	Ser Cur	ore 0		-									1			
	553 MOBILE ESTATES BEAN CREEK RESORT	0 N	OWS	50 <u>viols</u> 180 <u>viols</u>		1 2	0	N N	P	Cus Rrs	rrent														
M M0040561	WHITE BROHESTATES					1	0	N	P	Rrs Cur 0	arrent arrent arrent		-									1			
M M0040563	DUMONT CREEK ISTATES	0 N	CWS	86 viols 188 viols 585 viols		6	0	N	P	Cur	rrent														
M M0040585	GLENWOOD ESTATES TIMBER COUNTRY MOBILE HOME PARK	0 N	CWS	75 yiels		2	0	N N	P	Cur Scr Cur	arrent		-												
M M0040575	SASHABAW MEADOWS MHP	0 N	cws	1278 <u>viols</u>		1	0	N	P	Ser Cur Ser	rrent core 0														
M M0040577	PINE BLAND LAKE REC PARK  PATS PLACE MIP  COUNTRY HILL PINES	0 N	cws	1278 <u>viols</u> 75 <u>viols</u> 50 <u>viols</u> 174 viols		7	o RTC	n C N	P	Cur Scr Cur	rrent core 0														
M M0040591	COUNTRY HELL PINES	0 N	cws	174 viols		4	0	N	P	Cur Ser	arrent cone 0													MDEC 10/14: Returned to compliance Merch 2014. RS 8/2014: RS requests that MDEC refer ayalism to RS for enforcement of Lead Consumer Notice	
M M0040592	SANDHILL ESTATES	0 N	cws	75 years		7	0	N	P	Cua	rrent						<u></u>			<u> </u>	<u></u>			to minima and a	
M M0040603	CADGEWITH FARMS PINE RIDGE COMMUNITY, INC.	0 N	cws	344 <u>vtols</u>		14	0	N N	P	Cus Re-	arrent arrent arrent arrent					-		-	-	1	1		1		
M M0040609	PINE HAVEN ESTATES	0 N	cws	125 <u>viols</u>		1	0	N	Р	Cur	arrent														
	BUEL HELL MOBILE HOME PARK	0 N	cws	174 viols		15	0	N	P	Cur Sci	arrent core 0													MDEQ 10/14: Returned to compliance Merch 2014. RS 8/2014: RS requests that MDEQ refer system to RS for enforcement of Lead Consumer Notice to provide the construction.	
M M0040616	NORTH BAY HARBOR CLUB MHP CANTERBURY ESTATES MHP	0 N	cws	235 <u>viols</u> 350 <u>viols</u>		5	0	N	P	Cur Scr	arrent cone 0 arrent cone 0													nen-irements	
M M0040644	DEEPFELD PINES MOBILE HOME PARK	0 N	CWS	308 yigh		1	0	N N	P	Cur Scr Cur	rrent core 0 rrent		1												
M M0040650	WEST PINE ISLAND	0 N	OWN	76		2	0	N	P	Ser Cur Rrs	rrent core 0 rrent core 0 rrent core 0 rrent core 0														
M M0040664	HUNTERS GLEN AFFLE GROVE ESTATES	0 N	cws	700 xiols 125 xiols 538 xiols 100 xiols		1 6	0	N N	P	Cus Rrs Cus	rrent rore 0 rrent														
M M0040672	RIVER RIDGE	0 N	cws	538 viols		- 1	0	N	P	Cur	rrent														
M M0040675	CAPITOL CROSSINGS	0 N	cws	100 yiels		1	0	N	P	Cur	arrent												1		

Stat PWSID e	PWS Name	Score has	PWS HB Type		Viols Prior Since	rity Re e Date V	epeat Tot iolator Uni	otal presolve	On Path to School Compliance or	ol Owne Type	t Last Lead N. 50% At	am Lead E	TT Score	October 2017 ETT Quarterly Update July 2017 ETT Quarterl Update	April 2017 ETT Quarterly Update	January 2017 ETT Quarterly Update	October 2016 ETT Quarterly Update	July 2016 ETT Quarterly Update	April 2016 ETT Quarterly Update	January 2016 ETT Quarterly Update	October 2015 ETT Quarterly Update	July 2015 ETT Quarterly Update	April 2015 ETT Quarterly Update	January 2015 ETT Quarterly Update	October 2014 ETT Quarterly Update	July 2014 ETT Quarterly Update	April 2014 ETT Quarterly Update
M M0040681	ALTO MEADOWS	0 N	CWS	250	viols		1	0	N	Р			Current Score 0														
M M0040682	HIDDEN CREEK ESTATES	0 N	cws	77	wiols		31	0	N	P			Current Screen ()														
M M0060675	MEADOW WOODS NR CENTER	0 N	cws	78	wiols		- 1	0	N	P			Current Screen ()														
M M0060695	PLANWELL PNES H C F	0 N	cws	58	wiols		- 1	0	N	P			Score 0														
M M0060792	VILLA AT GREEN LAKE ESTATES	0 N	cws	86	wiols		6	0	N	P		- 10	Current														
M M0080937	THE LAURELS OF PULTON	0 N			wiols		2	0	N	P			Current Score 0						PS 5/2016: PS requests that MDEQ refer this system to PS for enforcement for its Lead for enforcement for its Lead for enforcement for its Lead MDEQ of 16: System RTC on 3/7/16.	3							
M M0061700	CURRY HOUSE ASSISTED LIVING CENTER	0 N	cws	76	wiols		- 1	0	N	P			Current Screen 0														
M M0062653	GLADWIN NURSING AND REHABILITATION	0 N	cws	60	wiols		- 1	0	N	P		- 0	Current Screen ()														
M M0062658	METRON OF LAMONT	0 N	cws	86	wiols		- 1	0	N	P			Current Commo O														
M M0062841	MEDILODGE OF STEPLING	0 N	cws	84	viols		21	0	N	P	0.074	1 0	Current														
M M0062942	HALE CREEK MANOR	0 N	cws	43	viols		4	0	N	Р			Score 0														
M M0063476	JAMESON NURSING HOME	0 N	cws	39	viols		3	0	N	Р			Current Score 0														
	KING NURSING & REHABILITATION CYMM INTO	0 N	cws	61	viols		- 1	0	N	Р		- 10	Score 0														
M M0063865	LINCOLN HAVEN NURSING & REHABILITATION	0 N	cws	39	viols		- 1	0	N	Р			Score 0														
M M0054934	THE VILLA AT ROSE CITY	0 N	cws	102	viols		6	0	N	Р			Score 0														
M M0065033	BLOOMFIELD ORCHARD VILLA	0 N	cws		viols		6	0	N	Р			Score 0														
M M0086355	ARCENTINE CAPE CENTER	0 N	cws	62	viols		6	0	N	P			Current Score 0						MDEQ 6/16: System RTC on	reported the violation was deleted on 3/29/16. The correct violation with the 2005 return to compliance will be uploaded with the	PS 11/2015: PS requests that MDEC refer systems to PS for enforcement of DEP Stage 1 Certified Operator requirements. MDEC 01/16: Date entry error, water supply returned to compliance January 2005. Will work with Kris Werbach to correct data error. No referral needed.						MDED: Possible data error? No Stage 1 TT violation exists in M disease for this WS.